

Michael Vasser Accession numbers for *Oxalis*.

This list was compiled from a printed copy received by me (Christiaan van Schalkwyk), and some spelling mistakes were corrected, when found. I added (Notes:) to some, these were not part of the original list.

- 0137 *O. sp.* Frenchhoek Pass, west facing slope, halfway up mountain.
- 0231 *O. purpurea*, 30km SE of Worcester. 1-1 1/4 inch lavender flowers with a yellow center, 1/2 inch tube flaring wide. Sepals small, green, alternate bracts 1/4 inch up from base of 1 1/2 inch peduncles. Faint sweet scent, Leaves glaucous-green, 1-1 1/4 inches in diameter, lightly hairy at edges, central lobe about twice size of other two. Green stems, leaves green underside. Tight compact growth. Bulbs 1 5/8 inches tall, 1/2 inch wide, sharply pointed at tip; brownish-black. +
- 2281 *O. purpurea*, 8km west of Knysna.
- 2282 *O. purpurea*, 11 km west of Knysna, 1 1/4 inch bright pink flowers, lightly fragrant, 1 1/4 inch leaves. Small bulbs. ++
- 2283 *O. purpurea*. Pink flowers. 12km east of Knysna and 11 km north.
- 2284 *O. purpurea*. Pink flowers. 12km east of Knysna, 2 1/2km up road towards Wittedrif,
- 2285 *O. obtusa*. Approx 5km south of Middelpos in red sand. Flowers 1 1/4 -1 1/2 inch in diameter, shiny yellow flushed apricot, with reddish veining and a reddish ring outside the center; center greenish-yellow; petal reverse streaked red. Sepals small, light green with reddish streaking at edges. Tiny linear bracts barely alternate, 1/3 inch below the flowers. Leaves 3/4 inch diameter with short hairs all over; leaflets narrow, equal in size, notched at tips, slightly upward folded, on 2 1/2 inch stems. ++
- 2286 *O. incarnata*. Blaukranspas, in rich, loamy soil, white flowers.
- 2287 *O. sp.* 8km west of Knysna, *incarnata*-type. Sprouts early – short dormancy.
- 2288 *O. sp.* 12km east of Nieuwoudtville. Light yellow flowers one inch diameter. Deep green leaves, leaflets folded. Sharp-pointed black bulbs. Corrected description from slide taken in 1991.
- 2289 *O. sp.* 12km E of Nieuwoudtville. Bulbs red-brown in color, tunics papery - different than 2288. Viney stems with small leaves.
- 2290 *O. purpurea*. 8km west of Knysna in light shade, and rich soil, 1 1/2 inch white flowers with yellow throat, Leaves <1/2 inch. + 9 Mar 01 — 1 1/2- 1 3/4 inch glistening lavender with pale yellow center. Peduncle 2 - 2 1/4 inches tall. Alternate bracts below midway on peduncle, Sepals yellow-green. Leaves 1 1/4 inch diameter, central leaflet 2-3 times as large as others, medium green; on 1 1/2 inch stems. Very tight low growth. +
- 2291 *O. obtusa*. Roggeveld Mountains, Bulbs black-brown. 1 1/2 inch copper-yellow flowers, veined darker, reddish reverse, and with a green-yellow center. Tiny bracts 1 1/2 inches below flowers. No scent. + + +
- 2725 *O. sp.* UCI, Dylan RO 7046. Very small, low, spreading plant, Destroyed - too weedy, seeded readily.
- 2726 *O. obtusa*. UCI 002287 Hout Bay. 2 inch diameter copper-red flowers with darker central ring and veining.
- 2727 *O. sp.* UCI 002154 Jeffrey's Bay. Short dormancy. Large fleshy bulbs. 1 1/2 inch white flowers, usually before the leaves develop, No scent. Unusual leaves,
- 3020 *O. luteola*. UCI 004332. 3/4-1 inch clear bright yellow flowers with wide overlapping petals. 1/2 inch leaves with red edges and undersides on very upright stems. Sticky bulbs, ++
- 4235 *O. sp.* midway between Kleinpoort & Steytlerville. Very small bulbs.
- 4318 *O. nortieri*, On hill behind Dysselsdorp in light brown, silty soil. Leaves unifoliate.
- 4323 *O. sp.* on hill behind Dysselsdorp. Mixed color flowers, pink and yellow.
- 4352 *O. nortieri* Hill behind Dysselsdorp from a different colony than 4318, unifoliate.
- 4381 *O. sp.* 4km into Skoemanskloof from Oudtshoorn. Possibly more than 1 species.
- 4381A *O. sp.* 4km into Skoemanskloof from Oudtshoorn.
- 4381B *O. sp.* 4km into Skoemanskloof from Oudtshoorn. Long, succulent, thread-like leaves.
- 4409B *O. caprina*, 3km up the turnoff to the Melville Dam near Oudtshoorn, by the water pumping station. Almost evergreen: summer rainfall area? 1 inch pinkish-lavender flowers, 2-5 per stem, flowers 6 inches above leaves.
- 4492 *O. purpurea*. Data as for 4409B, near the Kango Caves, Leaves 3/4 inch. Flowers 1 inch light lavender. Bracts just below flowers. Hairy petioles. Sprouts early. + + (Note: Bracts wrong for *O. purpurea*)
- 4493 *O. sp.* 3km up turnoff to the Melville Dam near Oudtshoorn,
- 4569 *O. convexula?* 10 km north of Willowmore, a cold winter area. Very small plants, tiny, ribbed bulbs. CAUTION, forms many crown bulblets.
- 4570 *O. sp.* 10 km north of Willowmore. Larger plants and larger bulbs than 4569.

- 4588 *O. sp.* Approximately 10 km east of Uniondale on a gravelly slope in full sun. 1 1/2 inch bright violet-pink flowers with a small yellow center. Petals narrow. Plant early, + +
- 4615 *O. sp.* 16km west of Beaufort-West. Weedy - many tiny bulbs at ground level. Discarded.
- 4621 *O. sp.* 50km west of Beaufort-West,
- 4621A *O. sp.* 50km west of Beaufort-West. 3/4 inch bright lavender flowers. Flowers scented. Small plants, Leaves 1/2 inch with lobes and notches. Dark bulbs, + +
- 4621B *O. sp.* 50km west of Beaufort-West. Light tan/brown bulbs, 3/4 inch lavender-pink flowers, No scent, No bracts. 3/4 inch leaves, green underside, leaflets deeply notched. Petals hairy. Plant early. + +
- 4630 *O. sp.* 39km from Seweweekspoort turnoff. West facing grass and shale slope, Did not survive.
- 4631 *O. obtusa*. 4.3km up from Calitzdorp main road to Seweweekspoort near the sign. 1 1/2 inch light copper-pink flowers with darker ring and yellow center, Leaves <3/4 inch, narrow, glaucous; leaflets narrow and deeply notched at ends. Bracts on flower stems. Compact habit, Almost identical to 4748. + +
- 4648 *O. sp.* Hellsport northwest of Grahamstown. Did not survive
- 4674 *O. sp.* 20km up Seweweekspoort from turnoff, 3/4 inch pink flowers. Tiny leaves <1 1/4 inch diameter. Tiny tufted plants. Plant early. Seems identical to 6917 but flowers are smaller. +
- 4689 *O. sp.* 8km up road to Witteberg Mountain, south of Laingsburg, 1/2 inch lavender-pink flowers.
- 4718 *O. luteola*. 30km up road to Witteberg Mountain, south of Laingsburg. 3/4-1 inch bright yellow flowers. 1 inch hairy leaves in small rosettes. Sprouts early. +
- 4719A *O. convexula*. 30km up road to Witteberg Mountain, south of Laingsburg. 1 1/2 inch shiny pink flowers with wide overlapping petals. Alternate bracts 1/2 inch below flowers. Tiny succulent leaves, deep green, about 1/4 inch in diameter. Caulescent with 7-8 leaves per stem. Stems reddish. Bulbs elongated, smooth. CAUTION—produces many very small bulbs at soil surface from stem tips. ++
- 4719B *O. obtusa*. 30km up road to Witteberg Mountain, south of Laingsburg. 1 1/2 inch copper flowers, veined petals with darker ring and yellow eye, 1/2-3/4 inch leaves. Round, smooth bulbs. + +
- 4719C *O. pocockiae?* 30km up road to Witteberg Mtn, south of Laingsburg. Small, winged, light brown bulbs. 1 inch off-white flowers usually before or as leaves form. No scent. CAUTION—produces many bulblets at stem tips,
- 4719D *O. obtusa*. 30km up road to Witteberg Mtn, south of Laingsburg. 1-1 1/4 inch light coppery-pink flowers with creamy yellow center. (3/01 some flowers are light apricot, some pink-copper—color is variable.) Petals have red streaks on reverse. Sepals green with some red streaks. Can find only one linear bract 1 1/4 inch below flowers. Peduncle up to 5 inches tall. Leaves 1 inch in diameter, glaucous, hairs all over, tips notched, central leaflet larger, on 1 1/2-2 inch tall stems. + + +
- 4720 *O. obtusa*. 30km up road to Witteberg Mtn, south of Laingsburg, 1 1/4 - 1 1/2 inch coppery-pink flowers, veined darker, with a darker center ring and a large greenish-yellow center. Peduncle to 4 1/2 inches tall, Shallow yellowish tube on outside. Some reddish streaking underside of petals. Sepals light green with narrow red-brown edge. Light reddish linear bracts, barely alternate, 1/2 inch below the flowers, Leaves 1 inch in diameter, lightly hairy all over, leaflets equal in size, narrow, notched at tip, folded up, on 2 1/2 inch stems. + + +
- 4721 *O. sp.* 30km up road to Witteberg Mountain, south of Laingsburg. 1 1/2 inch pale, clear yellow flowers, Leaves 1 inch, narrow leaflets.
- 4729 *O. sp.* 41.1 km north of Middelpos on **8354**. Flowers 1 - 1 1/2 inches in diameter, coppery-apricot in color, veining and ring, yellow center. Red streaking on petal reverse. Tiny alternate linear bracts 1/2 inch below flowers, 3 - 3 1/2 inch peduncle, Leaves less than 1/2 inch in diameter, very hairy, leaflets equal in size, notched at tips, sides folded together; 3/4 - 1 inch stems. Very nice, Can not be obtusa, Does not have typical *O. obtusa* bulbs and doesn't offset. Only one bulb remains. +
- 4734 *O. sp.* 6km up road to Ladismith from turnoff below Laingsburg, Light red 1 inch flowers with yellow-green throat, never fully opening, Dark green 1 1/2 inch leaves with lightly notched leaflets. Large bulbs, large plants.
- 4735 *O. sp.* 6km up rd to Ladismith from turnoff below Laingsburg, 1 1/2 inch medium pink flowers without bracts, Leaves <1 1/2 inch diameter, long and narrow, Plants 1 inch tall. Little bulbs. Apparently died winter 90-91, cannot locate a pot of it, + +
- 4742 *O. sp.* 19km up road to Witteberg Mountain,
- 4746 *O. fergusoniae?* 25.7km up Bo-Visrivier Road towards Middelpos. 3/4 inch white flowers. Plants 3 inches across, leaves <1 1/2 inch in diameter. Bulbs winged. CAUTION—forms many small bulblets from stem tips.

- 4747 *O. sp.* 25.7km up Bo-Visrivier Road towards Middelpoos. 3/4 inch pink flowers with white eye; petals reflexed, narrow. Bulbs with long neck, tunics papery. Tiny leaves packed on 5 inch stems. Sprouts early. Another form of 5577. Only four bulbs remain.
- 4748 *O. obtusa*. 25.7km up Bo-Visrivier Road towards Middelpoos, 1/2 inch bulbs, not winged. Plants 4 inches wide, 2 inches tall. Flowers 1 3/4 inches in diameter, dark copper-pink, darker veins and large yellow center. Small leaves. Bracts 1 inch below the flowers. + + + +
- 4749 *O. ambigua?* 25.7km up Bo-Visrivier Road towards Middelpoos. Plants 6 inches wide. Bulbs 1 inch plus in diameter. 1 1/2- 2 inch bright yellow flowers. Petals not overlapping - much space between petals. 2 inch hairy leaves, Slow propagator, Sprouts early. + + + Only six bulbs remain
- 4766 *O. obtusa*. Vanhyrhnshoek, #3 location, drainage area, east slope, Flowers 1 - 1 1/4 inch diameter, bright pink with darker veining, small yellow center. Petals pink on reverse. Buds pendulous, Peduncle 3 1/2 inches tall, Sepals edged reddish on edges at top, green below. Bracts appear opposite, tiny, linear, about 1 inch below flowers. Leaves ca. 1 inch in diameter, light glaucous green, leaflets equal in size, notched at tips, partially folded upward, hairy on undersides and edges. Floriferous. + + + +
- 4767 *O. sp.* 20.2km north of Middelpoos on **8354**, in heavy red sandy soil. 1 inch pale lavender-pink flowers. Small leaves, Grows deep. Flowers scented. 20 bulbs available
- 4768 *O. luteola*. 20.2km north of Middelpoos, in heavy red sandy soil. 1 1/2 inch clear, bright yellow flowers, petals long and narrow. Hairy leaves in a 3 inch compact rosette. Large, gummy bulbs which rarely divide. Grows deep. Bulbs large, 1 3/4 inch tall by 7/8 inch wide, reddish-brown dark tunics; gummy, pulling away at top leaving spaced points at top. Pointed at tip, nearly round at bottom. Only four bulbs remain. + +
- 4776 *O. sp.* 66km north of Matjiesfontein. Large bulbs, 1 inch pink flowers. Flowers darker than 4777A which is the same species. Flowers have a faint strange scent. +
- 4777 *O. pocockiae*, 66km north of Matjiesfontein. Sweetly scented 1.2 inch white flowers; no bracts. Leaves <1 inch in diameter. Very similar to 4794 but smaller plant. CAUTION—many crown bulblets. Sprouts early, Bulbs 1 1/2 inch tall by 1 inch wide. Dark brown hard tunic scales; pointed top and bottom, bottom less sharp.
- 4781 *O. sp.* 15km up Witteberg Road, south facing and level area in light brown soil, 3/4 inch pale pink flowers. Not showy. Flowers have a sweet scent, 10 bulbs available
- 4782 *O. sp.* 15km up Witteberg Road, south facing and level area in light brown soil.
- 4783 *O. sp.* 21.7km up Bos-Visrivier Road N of Sutherland, level area, It brown, heavy soil, 1 1/4 inch off-white flowers. Leaves <1/2 inch wide,
- 4789 *O. sp.* data missing. Small plants. 1 1/4 inch pale pink flowers, 3/4 inch leaves on small plants, Scented flowers, Bulbs sprout early.
- 4794 *O. sp.* 27km up Witteberg Road. Winged bulbs 3/4 inch in diameter, 1 1/2 inch white flowers with light yellow reverse. Narrow petals. Flowers have a strange scent.
- 4862 *O. sp.* 12km North of Matjiesfontein on a rock ridge in coarse light brown soil. 1 inch diameter black bulbs. One inch pale pink flowers with darker petal edges. Leaves 1 1/2 inch, dark green, hairy edges, green below. Did not survive.
- 4863 *O. purpurea?* 12km North of Matjiesfontein on a rock ridge in coarse light brown soil. 3/4 inch reddish-brown gummy bulbs. 1 1/2 inch rose-pink flowers fading to light yellow center. Large hairy leaves. There are 2 bracts 3/4 inch up from base of flower stalks. Does not offset or multiply. Plant deep. + Three bulbs remain.
- 4864 *O. fergusoniae?* North of Matjiesfontein on a rock ridge in coarse It brown soil, 1 1/2 inch diameter leaf clusters. Large winged bulbs, 3/4 inch lavender-pink flowers with a sweet scent, CAUTION—many small bulblets formed.
- 4865 *O. obtusa*, North of Matjiesfontein on a rock ridge in coarse light brown soil. 1 1/4 inch pale yellow flowers, veined, with light red zone, 1/2 inch wrinkled, hard bulbs, tunic lightly netted. Quickly dormant after flowering.
- 4866 *O. obtusa*. 46.7km up Bo-Visrivier Road north of Sutherland, Level ground, in seasonally very wet areas, in heavy brown silty, soil. Flowers 1 1/4 inch diameter, light coppery with reddish zone and veining outward from reddish zone, large yellow center. Sepals dark green at base, green in center, yellow tips. Peduncle 2 1/4 inches tall, Bracts alternate, linear, about 1/2 inch below flowers. Leaves 1 inch in diameter, leaflets narrow, equal in size, notched at tips, glaucous, not folded but oriented upward. Small plants. Color variable each year. + +

- 4871 *O. depressa*? 2km inland from mouth of the Kleine Braak River, along bank under light bush, in sandy acid soil. 1 1/4 inch white flowers with wide overlapping petals, high above the leaves. 1/2 inch leaves, Bracts 1/2 inch below flowers. Very nice. No scent. + ++
- 4874 *O. sp.* Road to Baviaanskloof, 10 km SE of Willowmore. 3/4 inch lavender flowers high above leaves on hairy stems. Leaves <1/2 inch, Compact plants, Dark sharply pointed wrinkled bulbs. Only a few bulbs remain
- 4883 *O. sp.* 26km north of Middelpoort in reddish, clay soil, Leaves 3/4 inch in diameter. Bulbs winged, 1/2 inch in diameter. CAUTION—many small bulbs formed at stem tips. Only two bulbs remain.
- 4884 *O. obtusa*. 26km north of Middelpoort in reddish, clay soil. Flowers 1 1/2 inches in diameter, light yellow (one year were light orange), with a golden yellow center, some veining in center. Peduncle 4 inches tall, Bracts linear, slightly alternate, 1 1/4 inch below flowers. Sepals yellow-green, green at base, Leaves 3/4 inch in diameter, leaflets equal in size, notched at tip, glabrous, held horizontally on 1 1/2-2 inch stems. Plants compact. 1/2 inch blackish bulbs. Same species as 6341 but larger flowers and tighter plants. + +
- 4885 *O. ambigua*. 26km north of Middelpoort in reddish clay soil, 1 1/2 inch bright yellow flowers just above the leaves, Large linear alternate bracts 1/2 inch below flowers. 1 1/2 inch leaves, hairy on surface, in 6 inch diameter rosettes. Large reddish bulbs. Bulbs not winged. +
- 4899 *O. ambigua*. 46.6km south of Calvinia on east facing rock/gravel slope in heavy red soil. 3 inch diameter rosettes. Smooth 1/2 inch bulbs. 1 1/2 inch white flowers with a yellow throat. Plants low and compact. Leaves 1 1/4 inch in diameter, Bracts, + +
- 4903 *O. obtusa*. 21.4km south of Calvinia on south facing slope in brown soil. Flowers 1 1/4 -1 1/2 inch in diameter, shiny yellow-orange-copper with darker veining and wide darker central ring, small yellow center. Petals streaked reddish on underside. Sepals green with brownish-red edge and tip. Bracts linear, green with red edge, slightly alternate, 1 inch below flowers. Faint sweet scent. Leaves 3/4 inch in diameter, not folded up, equal in size, notched at tips, glabrous, on 2 inch stems. Similar to 4966 but darker flowers. + + + +
- 4925 *O. sp.* Beginning of 1st gorge from Die Bos to Uitspanskraal. Flowers 1 inch diameter, bright copper-pink, held 4 inches above the leaves. Tiny plants 1 1/2 inches in diameter, less than 1 inch tall. Leaves 1/4 inch wide.
- 4926 *O. sp.* Beginning of 1st gorge between DieBos to Uitspanskraal. 1 1/2 inch white flowers. No scent. Bracts 1/4 inch up from stem base. Leaves 1/2 inch, brownish-green.
- 4960 *O. luteola*. 20km SE of Sutherland on north facing gravel hill. Black winged bulbs, 3/4 inch in diameter. 1 1/2 inch yellow flowers, Central leaf lobe larger than others; leaves green on underside, CAUTION—many small bulblets formed.
(Note: bulb does not fit *O. luteola*, also see 4961 – *luteola* only yellowish flowers)
- 4960B *O. luteola*? 20km southeast of Sutherland, on north facing gravel hill. Bulbs not winged, longer and narrower than 4960. 1 1/2 inch yellow flowers. Central leaf lobe is larger, green underside to leaf. Many tiny bulbs form near and above old bulbs. Bulbs 1 1/8 inch tall by 1/2 inch wide; dark reddish-brown, stiff thin tunics; pointed tip and bottom, bottom not as sharp.
- 4961 *O. sp.* 20km southeast of Sutherland, on north facing gravel hill. Same as 4960 but smaller plants. Pale pink flowers. Bulbs strongly winged and 4-sided. None kept,
- 4961A *O. obtusa*? 20km southeast of Sutherland on north facing gravel hill. 3/4 inch pale yellow flowers, Bulbs small, winged, hard, netted. CAUTION— many bulblets at soil surface stem tips - not characteristic of *O. obtusa*.
- 4961B *O. luteola*? 20km southeast of Sutherland pm north facing gravel hill. Non-winged bulbs, 2 inch yellow flowers, Leaves have very large central lobe. +
- 4962 *O. meisneri*? 20km SE of Sutherland on north facing gravel hill. One inch bright golden-yellow flowers, Tiny linear leaves atop 2 inch clustering upright stems. Tiny plants up to two inches tall. + + + Only a few bulbs remain
- 4966 *O. obtusa*. 19.2km south of Calvinia on rocky ridge, slightly east facing. 1 1/2 inch leaf rosettes. 1 1/4-1 3/4 inch copper-salmon-orange flowers with darker veining and center ring, on 3 1/2-4 inch peduncles well above leaves. Tiny linear alternate bracts 1 inch below flowers. Sepals small, light green. Leaves about 1/3 inch in diameter, glaucous, notched at tips, leaflets folded partially upward. Lighter color than 4903. ++
- 4967 *O. ambigua*, 19.2km south of Calvinia on slightly east facing rocky ridge. Black, smooth 3/4 inch diameter bulbs. 1 1/2 -2 inch white flowers with a yellow throat, just above the leaves. 1 1/2 inch green leaves, green underside. + +
- 4968 *O. sp.* 19.2km S of Calvinia rocky ridge, Tiny leaves with fine leaflets at top of 2 inch stems.

- 4968A *O. engleriana*? 19.2km south of Calvinia on a rocky ridge, slightly east facing. Narrow 7-lobed silvery leaves. Bulbs 3 inches long by 5/16 inch wide. + + +
- 4968B *O. ambigua*. 19,2km south of Calvinia on a rocky ridge, slightly east facing. 1 1/2 inch white flowers with a yellow center and darker lines into the center. Tiny alternate bracts just at midway of stem or slightly above, Sepals green, slightly hairy, as is peduncle. Leaves 1 1/4 inch in diameter, center lobe twice the size of the other two, green stems, green underside. Very tight compact plants. with a notched central lobe. Bulbs 1 1/8 inch tall by 1 inch wide with sharp extension to top and bottom; top very sharp; bulbs wider in center, tunics nearly black, Bulbs darker and rounder than 4968A. Almost identical to 4967, + + +
- 4980A *O. sp.* 26km north of Middelpos. Bulbs with dark, hard tunics. 1 inch copper flowers with yellow centers. Leaves 3/4-1 inch.
- 4988 *O. densa*, Farm Vanrhynshoek, level area between house and 1st gate in light brown sand. Tufted, tight rosettes about 2 inches in diameter and 1 1/2 inch tall. 3/4 inch white flowers with narrow speckled red edge on outer half of petal reverse. No apparent bracts. Leaves and petioles hairy, about 1/4 inch in diameter, Long bulbs with loose stringy tunics. + + + +
- 4989 *O. sp.* Farm Vanrhynshoek, level area between house and 1st gate in light brown sand. 3/4 inch light lavender-pink flowers held high above 1/2 inch leaves. Needs lots of light.
- 4990 *O. ambigua*, Farm Vanrhynshoek, level area between house and 1st gate in light brown sand. 1 1/2 inch pale ivory flowers. Leaves hairy top and edges. 1 inch bulbs. Dense 4 inch rosettes, Bulbs 2 inch tall by 1 1/16 inch wide with short neck at top, not pointed; bottom rounded; reddish-brown; sticky. + + + Only two bulbs survive.
- 4991 *O. densa*. Farm Vanrhynshoek, level area between house and 1st gate in light brown sand. 1.1 inch diameter white flowers streaked reddish on half of the petal reverse. There is an articulation 1/2 inch up from petiole base but could find no bracts. Tiny, deeply lobed leaves less than 1/4 inch in diameter on 1 stems. Tufted plants to 1 1/2 inches tall with very obvious silvery leaves on all stems and leaves. Tunics very loose and papery, long and narrow. 4988 is the same species but the flowers are smaller. + + + +
- 5005 *O. obtusa*. 10km north of Matjiesfontein, 1 to 1 1/4 inch dark copper-red flowers, with darker veining, a darker ring and a yellow center. Alternate bracts 1/3 inch below the flowers on 3 inch peduncles. Flowers are borne about 1 1/2 inches above the leaves. Sepals small, lightly reddish-brown, Leaves less than 1/4 inch in diameter, very hairy top, edge and bottom, Leaflets equal in size, notched at tips, folded upward. Winged bulbs, Slightly darker flowers than 5140A, Bracts 1 inch below flowers. No scent, + +
- 5005A *O. obtusa*, 10 km north of Matjiesfontein. Flowers coppery-red, 1 1/4 inch in diameter, with darker veining and a yellow center; on 3 1/2 inch peduncles. Petals much streaked with red underside. Sepals long and narrow, hairy, reddish, Bracts tiny, linear, barely alternate, 1/4 inch below flowers. Leaves less than 1/2 inch in diameter, very hairy all over, notched at tips, folded upward, on 2 inch stems. + + +
- 5010 *O. obtusa*. 27km up Witteberg Road, Flowers 2 inches in diameter, copper-apricot, much darker veining and large yellow center, Petal reverse lightly streaked red all over, Slightly alternate linear bracts about 1 inch below the flowers; peduncle 4-5 inches tall. Sepals light green, darker base, Leaves 1 - 1 1/4 inch in diameter, leaflets equal in size, notched tips, mostly flat, edges not folded upward. Flower buds pendulous. Leaf stems 2 1/2 inches tall. Bulbs rounder and more wrinkled than 5010A. Slightly different flowers than 5010B, Prolific, dense growing plant. 1995-96: flowers were 1 1/2 inch orangey light copper. +
- 5010A *O. sp.* 27km up Witteberg Road. Bulbs smooth, slightly longer than 5010. Flowers .9 inch diameter lavender-pink flowers with narrow petals. Leaves less than 1/2 inch in diameter. Flowers have a light sweet scent.
- 50108 *O. obtusa*. 27km up Witteberg Road, Flowers 1 3/4 inch in diameter, pale coppery with darker veining, large yellow center, no central dark ring,. Sepals pale green, darker at base. Bracts linear, alternate, 1 1/2 inch below flowers. Peduncle 6-7 inches tall. Leaves 1 inch in diameter, leaflets equal, notched at tips, tilted upward somewhat, on 2 1/2 - 3 inch stems. Wrinkled bulbs. +
- 5034 *O. sp.* 4km west of Patatsriver in level area of light brown sand and rock. Did not survive.
- 5050 *O. purpurea*. Vanrhynshoek, 1st gate above house on south facing slope, light brown heavy soil. 1 1/4 inch dark rose-pink flowers with light yellow center, Very compact, Stem bract 1 inch up from soil. Bulbs 1 1/2 inch tall by 3/4 inch wide, narrow at top and bottom; gummy inside tunics; light reddish black-brown. Almost identical to 4863. + + + The three bulbs divided for 1st time in '99 for a total of six bulbs and three more in 2000-2001!
- 5051 *O. obtusa*. Vanrhynshoek, 1st gate above the house on south facing slope in light brown heavy soil. Flowers 1 1/4 inches in diameter, coppery-apricot with golden highlights and darker veining; yellow center.

Sepals light green with dark green base, Bracts linear, small, alternate, 3/4 inch below flowers, Peduncle 3 3/4 inches tall. Leaves <1 inch diameter, lightly glaucous green, reddish underside, leaflets equal in size, notched at tips, standing half upright but not curved upward at edges. 1 1/4 inch stems. Very small plant with 2 inch leaf rosettes in habitat,

- 5052 *O. obtusa*. 6km west of Karoopoort. Flowers 1 3/4 inch in diameter, bright pink with darker veining, overlapping petals, greenish-yellow center, pink veining underneath petals. Sepals green. Tiny, slightly alternate linear bracts 1/2 inch below flowers. Flower buds pendulous. No scent, Peduncles 3 1/2 - 5 inches tall. Leaves lightly glaucous, about 1/2 inch in diameter, lightly hairy at edges, tips notched, leaflets folded nearly in half upward; 2 1/4 inch stems. 4 inch leaf rosettes. + + + +
- 5065A *O. flava*. 20km northeast of Touwsriver, north of a water reservoir on south facing rock slope in light brown sand. 1 1/2 inch diameter leaves, 5-part, round, 1 inch lavender-pink flowers. Bulbs grow very deep. Plant early, (92-93 1 used a heavy silty soil with pumice - it did the best ever). + + 25 bulbs available
- 5065B *O. flava*, 20km northeast of Touwsriver, north of a water reservoir on south facing rock slope in light brown sand. Round 5 part 1 1/2 inch leaves, Bulbs grow very deep. 1 1/2 inch brilliant yellow flowers with wide overlapping petals. Bulbs grow very deep. + +
- 5066 *O. sp.* 20km northeast of Touwsriver, north of a water reservoir on south facing rock slope in light brown sand, 1 inch dark lavender-pink flowers. Dark green 3/4 inch leaves in small rosettes. Flowers 4-5 inches above the leaves, Reproduces by crown bulblets only. 1
5075. *O. hirta*. Little Braks River area. Plant early.
- 5086 *O. luteola* 5km east of Citrusdal in red, clay sand, 2 inch golden yellow flowers. 2 inch leaves are red underside and have hairy edges, Flowers are on short stems among the leaves. Bulbs 1 1/4 inch tall by 3/4 inch wide, shallowly rounded on bottom, pointed at top; dark black-brown, very sticky, with gravel and sand stuck to bulbs. + +
- 5087 *O. sp.* 5km east of Citrusdal in red, clay sand.
- 5090 *O. pocockiae*, 13.4km up Bo-Visrivier Road north of Sutherland, Leaves less than 1/2 inch in diameter, Whole plant about 2 inches in diameter. 3/4 inch winged bulbs. 1 inch white to pale pink flowers, yellowish reverse. Light fragrance, Flowers stay open until dark, (D, C, says it smells like coconut,)
- 5117 *O. commutata?* Vanrhynshoek, half way up canyon, south slope. Very small rosettes and leaves, compact and dense. 1/2 inch lavender flowers well above the leaves. Petal reverse is half yellow, 1/2-3/4 inch leaves, Must have full sun, Flowers fragrant. +
- 5139 *O. convexula*. 8km east of Rawsonville, 1 1/4 to 1 1/2 inch glowing pink flowers with a darker center ring and small yellow center. Sepals light green. Small, thin, transparent bracts, virtually opposite, 1/3 inch below the flowers. Dense, dark green, succulent, tiny leaves 1/4 inch in diameter. Green underside, Flowers have much space between petals. 5140C is a better form. CAUTION— many crown bulblets, Bulbs 1 1/3 inch tall by 1/2 inch wide, pointed at top and bottom; covered with dark reddish-brown tunics, Similar to 4719A. + +
- 5140 *O. sp.* 8km east of Rawsonville. Flowers 1 1/2 inch, pink, veined, with small yellow center. Leaves 1/2 inch diameter. Tufting plant.
- 5140A *O. obtusa?* 8km east of Rawsonville, 1 1/4 inch peachy-coppery-pink flowers with darker veining and darker central ring. Tiny linear bracts just barely alternate, on 2 1/2 inch peduncles. Flowers have a yellow center and a shallow tube. No scent. Tufting plant, 2 inches tall. Leaves 1/2 inch in diameter, lightly glaucous, leaflets notched, equal in size, folded partly upward. CAUTION—produces a large quantity of small bulblets at stem tips at soil level. + + Probably not *O. obtusa* - check bulbs. Crown bulbs not characteristic of *obtusa*. Flowers definitely look like *O. obtusa*! 60 bulbs available
- 5140B *O. sp.* 8km E of Rawsonville. 1 3/4 inch copper-pink flowers, small yellow center. 3/4 inch leaves, Wrinkled, ridged bulbs, + + 6/97—note says flowers white!
- 5140C *O. convexula*. 8km east of Rawsonville. 1 1/2 inch glowing pink flowers. Thick succulent leaves <1 1/3 inch diameter. Tiny tufting plant. Bracts. CAUTION - many crown bulblets. + + +
- 4140D. *O. pocockeae*. 8Km east of Rawsonville. 3/4 inch off-white flowers with a sweet powdery fragrance and yellowish petal reverse. Ribbed, round, reddish-brown bulbs,
- 5141A *O. luteola?*. 8km east of Rawsonville, 1 1/2 inch leaves, 2 inch satiny medium yellow flowers, 5 inches above the leaves. Prolific bloomer. 3/4-1 inch leaves, tight plants. 2 tiny bracts 1 inch below flowers, Bulbs large, gummy, not winged. + + +
- 5141B *O. luteola*. 8km east of Rawsonville. 1 1/2 inch medium yellow flowers with darker centers. Leaves blotched with burgundy. Small bulbs, wrinkled and lightly ribbed. + + Only two large bulbs left

- 5141C *O. ambigua*. 8km east of Rawsonville, 1 3/4 inch pure white flowers with wide overlapping petals, and with a small yellow center. No bracts. Thick, glaucous 1 1/2 inch leaves with hairy stems. Bulbs 1 1/2 inch tall by 1 inch wide; dark blackish-brown, nearly round, abruptly tapering at top to the tip. + + +
- 5159 *O. sp.* About 16km north of Matjiesfontein, on slight east facing rocky slope. Flowers .8 inches in diameter (were 1 1/2 inches in 1999), light clear yellow with no streaking. Red streaks on petal reverse, Peduncle 3-3 1/4 inch tall. Sepals green with red tips. Bracts tiny, linear, opposite or nearly so, 1 inch below flowers. Leaves 1/2 inch in diameter, 3 equal size leaflets, leaflets notched, nearly touching at edges, on 1 inch stems, + 15 bulbs available
- 5176 *O. sp.* About 16km north of Matjiesfontein, on slight east facing rocky slope. 1 1/4 inch bulbs, 1 inch leaves. DNS
- 5180 *O. luteola*. 16km N of Matjiesfontein, slight east facing rocky slope. 1 1/2 inch bright shiny yellow flowers, Linear alternate bracts 1/2 inch up from base of 1 12/2 inch petioles; sepals reddish. 1 1/2 inch leaves with central lobe largest, reddish stems, green underside. Bract on stem 2-3 inches up from base. + +
- 5187 *O. inaequalis*. About 15km east of Karooport on Patatsriver Road, east facing sandy slope. Bulbs grow very deep. 3/4-1 inch copper-pink flowers (1 /01 flowers more coppery orange-red) with large yellow centers; shallow funnel-shaped tube; 1 inch peduncle, Alternate linear bracts above the middle of the peduncle. Leaves small, 1/8 to 1/4 inch in diameter, leaflets equal in size, grey, covered with grey hairs; borne on 1/2-3/4 inch stems. Plants in 2 inch rosettes. Very interesting plant, Some small bulbs just below surface and above mature bulbs.
- 5188 *O. sp.* Ca 15km E of Karooport , east facing sandy slope, 3/4 inch large black bulbs,
- 5189 *O. luteola*. About 15km east of Karooport on Patatsriver Road, east facing sandy slope. (One bulbs was winged=5189A.) 1 1/4 inch bright yellow flowers well above the leaves. Small linear bracts, slightly alternate, 1 1/4 inch up from base of stem; stems 3 inches long, Sepals have reddish edges. Leaves 1 1/4 inch in diameter, light green with reddish edges and green underside; central lobe twice size of others, Stem petioles are red. Leaves are flat on ground. Bracts 1 inch up from flower stem base. Extremely sensitive to *Pythium*. Large bulbs, 1/2 to 1 inch deep, many small bulbs just below soil surface. + + +
- 5189A *O. sp.* About 15km east of Karooport on Potatsriver Road, east facing sandy slope, Lightly winged bulbs. Lightly scented flowers .8 inch in diameter, dull white, held 4 inches above the leaves, Low 4 inch rosettes. Leaves less than 1/2 inch in diameter. CAUTION— produced many crown bulbs.
- 5207A *O. foveolata?* 34.3km north of Springbok in coarse red sand, Has never flowered. Sticky light brown bulbs, tall and narrow.
- 5207B *O. foveolata?* 34,3km north of Springbok in coarse red sand, Long, narrow gummy bulbs. Has never flowered.
- 5214 *O. sp.* 11.4km south of the Kubus intersect in light red sandy soil in a level, full sun area. 1 inch leaves with a red underside and red stems, Grows very deep.
- 5215 *O. luederitzi?* 11.4km S of the Kubus intersect in light red sandy soil, in a level, full sun area, Tiny plants, 1/4 inch leaves. Unusual bulbs, tri-winged at base, Has never flowered. No bulbs available.
- 5285 *O. adenodes?* North of Steinkopf, 2 inch white flowers with red streaked reverse, 2 inch glaucous leaves with red undersides. +
- 5287 *O. copiosa?* North of Steinkopf, 3/4 inch golden yellow flowers. Leaf rosettes less than 1 inch in diameter. Leaves <1 1/4 inch, + See if Bill Morris still has this one
- 5298 *O. sp.* 73.4km south of Loxton in light red sandy soil among sandstone on a north facing slope in a very windy area. 1/2 inch leaves, 3/4-1 inch bulbs growing 6 inches deep.
- 5325 *O. luteola*, About 15km east of KarooPoort, Black, slightly gummy bulbs. 1" bright yellow flowers. 1" green leaves. + +
- 5395 *O. flava*. 35km east of Touwsriver in red coarse sandy soil in full sun in a level area. 1 1/4 inch bright yellow flowers with wide, overlapping petals. + + +
- 5401 *O. sp.* 13.5km south of Pofadder on a west facing steep rocky slope in red sandy soil under rocks, Flowers 1 - 1 1/4 inches in diameter, shiny, clear light golden yellow, Much reddish veining on petal reverse; shallow tube with flaring petals; peduncle 2 inches tall, hairy. No scent. Sepals hairy, green at base, lightly reddish upper half, Tiny linear alternate bracts 1/2 inch below flowers. Leaves 1/4 - 1/2 inch in diameter, light glaucous green, central leaflet somewhat larger, notched at tip, slightly folded upward at edges; stems about 3/4 inch long. Small plants, flowers well above the leaves. + +
- 5405 *O. sp.* 2.1 km south of Calvinia on the Calvinia-Ceres road on a west facing mountain slope in light red soil among rocks. Small plant. 2 species but bulbs look the same. 1 has tiny leaves, very dense and compact. 7/8 inch round, light yellow flowers. Bracts 1 inch below the flowers. No scent. + +

- 5405A *O. luteola*. 2.1 km south of Calvinia on the Calvinia-Ceres road on a west mountain slope in light red soil among rocks. 1 1/2 inch bright yellow flowers. 1 inch leaves in 4 inch rosettes. Long, narrow bulbs. + See if Bill Morris still has this one
- 5405B *O. sp.* 2.1 km south of Calvinia on the Calvinia-Ceres road on a west mountain slope in light red soil among rocks, Shorter, rounder bulbs. 3/4 to 1 inch light bright yellow flowers with darker petal edges and center; shallow narrow tube. Petals have reddish striping on half of the petal undersides. Peduncles 5 inches long. Tiny opposite linear bracts 3/4 - 1 inch below the flowers, Peduncle 4 1/2 inches tall, Large sepals, light greenish yellow. Leaves 1/4 to 1/2 inch in diameter, glabrous, with 3 equal size leaflets, notched tips, folded upward, Dense, compact plants; prolific spreader. No scent. + +
- 5405C *O. luteola*. 2.1 km south of Calvinia on Calvinia-Ceres road on a west facing mountain slope in light red soil among rocks, Long, brown, narrow bulbs. 1 1/2 inch bright yellow flowers with wide petals, held high (6 inches) above the leaves. Bracts are opposite, linear, and about 1 inch below the flowers, 1 inch leaves with red underside. Compact plants, + +
- 5412 *O. luteola?* 29.4km east of Nieuwoudtville in heavy red, sandy soil. Tiny plant, 1 1/2 inch bright yellow flowers with wide overlapping petals. Very compact plants. + + +
- 5490 *O. foveolata?* Anenous Pass. Bulbs stuck together in long masses. 1 inch light yellow flowers. Very hairy stems and leaves. Largest bulbs 1 1/4 inch tall by 1 1/4 inch wide, nearly round with pointed top. Sticky bulbs covered with sand; nearly black. +
- 5491 *O. sp.* Anenous Pass. Tiny plant, DNS
- 5492 *O. comosa* Anenous Pass, Flowers 2 1/4 - 3 inches in diameter, lavender with large yellow center, some darker veining. Lavender petal reverse. 3 1/2 - 4 inch peduncles. Sepals yellow-green with green base. Tiny linear alternate bracts. Leaves 3/4-1 inch in diameter, leaflets equal in size, about 1/4 inch wide, notched at tips. Stems 1 inch tall in full sun. Small bulbs, lightly winged. Largest flowers of all the species I have. Same species as 5494 but this is the larger flowered clone. + + + +
- 5493 *O. foveolata?* Anenous Pass. Small plant, large, very gummy bulbs. Has never flowered.
- 5494 *O. comosa?* Anenous Pass, Winged bulbs, very tall, leaves on 6 inch stems, 2 1/2 inch lavender-pink flowers with large yellow throat. No scent. 2 bracts 1 inch below the flowers. Same species as 5492, flowers slightly smaller. + + +
- 5507 *O. hirta*, 2.3km up Stofkraal Road, West of Williston in full sun, Tiny leaves,
- 5508 *O. sp.* 2.3km up Stofkraal Road, west of Williston in full sun. 1 bulb, Bulb no good, DNS.
- 5509 *O. pocockiae*. 2,3km up Stofkraal Road, west of Williston in full sun, CAUTION—forms many small bulblets. Large, winged bulbs. Flowers white flushed pale pink, held high above the leaves. Petal edges rolled inward, Leaves neat, 1/2 inch flowers, lightly to very fragrant with a sweet scent, Like 5140 which has darker petals.
- 5515 *O. flava*. 7.5km S of Nieuwoudtville in a level area of light brown, coarse sandy soil. 1 inch bright light pink flowers. Large bulbs, palmate 9-part leaves. + + +
- 5516 *O. obtusa?* 7.5km south of Nieuwoudtville, level area of light brown, coarse sandy soil. Small bulbs, My notes say not *O. obtusa*. One inch light yellow flowers with a shallow tube one inch above the leaves. Bracts just barely alternate, small, linear, 3/4 inch below flowers. Peduncles 3 inches tall. Leaves 3/4 inch or less, dark green, leaflets equal in size, notched at tips, held mostly flat or horizontal. + Need bulb description.
- 5519 *O. sp.* 10.9km east of Nieuwoudtville in light brown soil in full sun. Flowers 1 1/2 inch in diameter, glowing light yellow, darker in center with some darker veining in center only. Petals not overlapping, Some red streaks on petal reverse, Peduncle 3 inches tall. Alternate linear bracts approx. 1 inch below flowers. Sepals greenish-yellow, darker at base. Leaves dark green, ca. 3/4 inch in diameter, leaflets equal in size, notched at tips, fairly wide, held mostly horizontal, on 2 inch stems, Same species as 6316. Like 5516 except flowers are darker yellow. This is not *O. obtusa*. Flowers have a strange, sweet scent. + + + +
- 5530B *O. ambigua*. 123.6km south of Pofadder, In with Gladiolus 5530. 1 inch ivory flowers, dense tufted plant. 1 Inch leaves, green underside. No scent. Bracts 1/2 inch up from stem base. +
- 5532 *O. ambigua*. 123.6km south towards Loeriesfontein below the turnoff from Pofadder on a west facing rock and light brown-red sand, Small plants, forms many bulblets at top of stems, 1 1/2 inch ivory flowers with light yellow centers and a light yellow reverse. Bracts 1/2 inch up from stem base. No scent. 1 inch leaves. +
- 5541 *O. ambigua*, 112.8km south of Pofadder on road to Loeriesfontein, south slope in gravel and light red soil. Growing with Hoodia sp. 1 inch white flowers, 1 1/2 inch leaves, center lobe largest, green underside, No scent, This one has longer, darker brown bulbs than 5541 A. + +

- 5541A *O. sp.* 112.8km S of Pofadder on road to Lorriesfontein on a south slope in gravel and light red soil. Lighter brown, shorter bulbs than 5541. Light pink flowers, white center, narrow petals, no bracts. Flowers fragrant. +
- 5545 *O. sp.* 112.8km south of Pofadder on road to Lorriesfontein on a south slope in gravel and light red soil, 3/4 inch black bulbs, plants about 3 inches in diameter.
- 5560A *O. luteola*, Algeria Forest, 70km south of Clanwilliam, #1 location. (Original collection had 3 forms,) 1 1/2 inch pale yellow flowers, 3/4 inch leaves, dark green, with very large central lobe,
- 5560B *O. sp.* Algeria Forest, #1 location. 1 inch light yellow flowers with red speckling on petal reverse. No scent. Tiny bracts. Leaves 1/2 inch diameter, leaflets folded. Not *obtusata*? check the bulbs. + +
- 5560C *O. sp.* Algeria Forest, #1 location. Bulbs grow low in pot. Somehow I never got a description! Many small bulbs available.
- 5561 *O. ambigua*. 28.8km E of Calvinia, in shale and light brown-red soil in full sun. 3 inch tight leaf rosettes. 3/4 inch bulbs. 1 inch plus light yellow flowers. 1 1/2 inch hairy leaves. +
- 5567 *O. luteola*. 1.2km up road to Paleisheuvel, 60km south of Clanwilliam, in coarse red sand. 1 1/4 inch light yellow flowers with a more golden yellow center; borne on 2 inch peduncles. Linear alternate bracts 1/2 inch up from base. 1 1/4 inch dark green leaves with red hairs at edges, red underside, stems green, center lobe largest, on 2 inch stems. Bracts alternate, linear, ± halfway down stems. Compact plants, Bulbs kark brown, 1 1/4 inch tall by 3/4 inch wide, tapered at top and bottom; sand sticking to bulbs. + +
- 5577 *O. ciliaris*? 3.2km south of Calvinia on the Calvinia-Ceres Road on a west facing slope. Clusters of small leaves at the tips of 3 inch stems. 3/4 inch off-white flowers with narrow petals, Very strange leaves, clustering at stem tips. + Only one bulb survives.
- 5578 *O. luteola*. 3.2km south of Calvinia on the Calvinia-Ceres Road on a west facing slope. Leaves in 3 inch rosettes, Flowers 2 inches in diameter, bright pure yellow with faint sweet fragrance. Leaves green underside. +
- 5590 *O. sp.* 82.2km E of Calvinia in light red sand among rocks, Fragrant 1/2 inch bright pink flowers. Tiny leaves clustered at stem tips. See if Bill Morris still has this one.
- 5591 *O. obtusata*. 82.2km east of Calvinia in light red sand among rocks. Flowers 1 1/4 - 1 1/2 inches in diameter, shiny yellow with much coppery veining, a reddish ring and greenish-yellow throat. Peduncle about 1 1/4 inch tall. Petals streaked red on reverse. Sepals small, light green with reddish streaking at edges, Tiny linear bracts barely alternate, 1/3 inch below the flowers. Leaves 3/4 inch in diameter, with short hairs all over; leaflets equal, notched at tips, slightly upward folded, on 2 1/2 inch stems. Very small plants. + + +
- 5601 *O. depressa* form? 4km up road 75km east of Williston on south facing rock slope. Winged bulbs. 3/4 inch odd pink flowers. Leaves less than 1/2 inch in diameter. Bulbs 1 inch tall, 7/8 inch wide; hard reddish-brown tunics; young bulbs with ridges, older bulbs only slightly so.
- 5615 *O. luteola*. Algeria Forest, Cedarberg, #2 location. 1 1/4-1 1/2 inch golden yellow flowers with a shallow tube. The flowers are down in or at the top of the leaves. Tiny linear bracts 1/8 inch below the flowers. Sepals small, pale red with a dark center spot. Leaves deep green, 1 - 1 1/2 inches in diameter, lobes equal, leaf edges lightly hairy, red undersides and light red stems. Small, tight leaf rosettes. Very gummy bulbs. Not the same species as 5752. + +
- 5622 *O. callosa*, 16.6km south of Nieuwoudtville in full sun in a light brown soil. 1 1/2" inch violet-pink flowers with red central ring and darker edges. Flowers sweetly scented. + +
- 5629 *O. poccockiae*. Vanrhynshoek, top of mountain in a level area among big rocks in a dark red, heavy soil. Small plant, winged bulb, 1 inch flowers, very fragrant, off-white in color, faintly tinted pink with a yellowish petal reverse. Flowering early. Leaves less than 1/2 inch diameter. Large, winged bulbs, + +
- 5630A *O. sp.* Vanrhynshoek, top of mountain in a level area among big rocks in a dark red, heavy soil. Small, non-winged, light brown bulbs, 3/4 inch light lavender-pink flowers, No bracts. Light sweet scent. Tiny, tufted plants. Plant early.
- 5630B *O. sp.* Vanrhynshoek, top of mountain in a level area among big rocks in a dark red, heavy soil. Sweetly scented 8 inch diameter pinkish-lavender flowers with narrow petals held 3 inches above the leaves. Leaves dark, less than 1/2 inch diameter, Tight, tufted plants to 2 inch tall mounds, + +
- 5630C *O. sp.* Vanrhynshoek, top of mountain in a level area among big rocks in a dark red, heavy soil. Caulescent, 3/4 inch lavender-pink flowers. Leaves 1 - 1 1/4 inches in diameter, narrow, three glaucous leaflets ca. 2/3 inch long, not notched at tips, folded up at edges. Stems reddish, about 1 1/2 inches long. Bulbs clump together about 3/4 inch deep. Taller than other 5630's. + + +
- 5660 *O. sp.* Algeria Forest, Cedarberg, #3 location.

- 5667 *O. luteola*, 13,4km south of Nieuwoudtville, full sun, light brown soil. 1 1/2 inch bright yellow flowers. 1 inch diameter leaves, very hairy on surface, green underside, Bracts on flower stems. + +
- 5698 *O. sp.* 8km east of Rawsonville on a north facing mountain slope in light brown soil among rocks, towards top of mountain. Long bulbs, rather glued together.
- 5716 *O. purpurea*. 8km east of Rawsonville on north facing mountain slope in light brown soil among rocks. 1 1/2 inch diameter white flowers with yellow throat. Very compact plants.
- 5720 *O. sp.* 40km into the Pakhuis Pass in a level area of red sand. Details unreadable, cat threw up on notes!
- 5729 *O. sp.* Pakhuis Pass. Large bulbs.
- 5752 *O. luteola*. 20km into the Pakhuis Pass, 3/4-1 inch medium light golden yellow flowers with a wide shallow tube; 3/4 inch peduncle, Light green hairy sepals, Alternate linear bracts near base of petiole, Leaves dark glaucous, 3/4 inch diameter, red underside, red hairs at edges; light red 3/4 inch stems. Dense, dark leaves, to 3/4 inch, red underside. Leaf rosettes 3 inches in diameter, 1 1/2 inches tall, very compact. + +
- 5778 *O. sp.* 18km east of Citrusdal, towards Middelberg Pass.
- 5796 *O. sp.* Pakhuis Pass, 30km north of Clanwilliam on south facing slope in red, sandy soil.
- 5801 *O. sp.* 10km north of Clanwilliam, towards Pakhuis Pass on north facing slope. Growing in clump of *Conophytum obcordellum*.
- 5803 *O. luteola?* 11 km north of Clanwilliam on way to Pakhuis Pass in red sand. 1 1/2 inch brilliant golden yellow flowers without scent. Red stems. 1 1/2 inch leaves, red underside, hairs at edges. Bulbs 1 5/8 inch by 1 3/8 inch, wide at bottom, curving out and up to pointed tip; tunics thin, corrugated, light reddish-brown. Soft papery, stretchy tunics with a long neck—very unlike typical *O. luteola* bulbs! + +
- 5805 *O. sp.* 11 km N of Clanwilliam, way to Pakhuis Pass, in red sand, Small bulbs, 1 1/2 inch light yellow flowers with darker veining just at the top of the leaves or just below, Linear slightly alternate bracts 1/2 inch up from petiole base. Petioles 2-2 1/2 inches long, No scent, Leaves to 2 inches in diameter with central lobe 4-5 times size of other tw*O.* Reddish leaflet connection and stems and leaf undersides. Best in a large pot and grown in full sun. + +
- 5805A *O. luteola*, 11 km north of Clanwilliam, on way to Pakhuis Pass in red sand. 3/4 inch light yellow flowers with darker veining. 1 1/2 inch leaves, with larger central lobe, red underside, Large, dark, shiny bulbs. Bulbs planted upside down in 1994 - can't tell top from bottom,
- 5806 *O. luteola*. 11 km N of Clanwilliam on way to Pakhuis Pass, in red sand. Large bulbs. 1 1/2 -2 inch medium yellow flowers two inches above the leaves, Burgundy blotched leaves, + + + +
- 5843 *O. luteola*. North end of the Pakhuis Pass in gritty sand among huge rocks in flat places. Large, gummy bulbs. 1 1/2 inch bright yellow flowers, Burgundy blotched leaves. + +
- 5843A *O. obtusa*. North end of the Pakhuis Pass in gritty sand among huge rocks in flat places. 1 inch veined light yellow flowers with pale reddish orange ring near center, flushed apricot. Bracts 1 inch below flowers. 1/2-3/4 inch glaucous leaves with narrow leaflets, leaflets with deeply notched tips, +
- 5843B *O. obtusa*. North end of the Pakhuis Pass in gritty sand among huge rocks in flat places. Flowers 1 1/4 inch in diameter, light yellow flushed apricot with shiny texture, some darker veining and a reddish central ring, large greenish-yellow center. Sepals hairy, light reddish-brown. Tiny alternate linear bracts 1/2 inch below flowers, Light fragrance, Leaves 1/4 - 1/2 inch in diameter, very hairy, glaucous, leaflets equal in size, notched at tips, folded together at edges, on 1/2 - 1 inch stems. + +
- 5844 *O. flava*, North end of the Pakhuis Pass in gritty sand among huge rocks in flat places, Palmate leaves. 5883 Location data lost, 1 1/4 inch bright yellow flowers, Leaves <1 inch diameter, hairy at edges, red underside, Petioles very hairy,
- 5885 *O. luteola*. Location data lost. Large, black bulbs. 1 1/2 inch medium yellow flowers. Large leaves with reddish center and purple-red underside, Central lobe 3 times size of others. It flowers down in the leaves or just with the leaves.
- 5960 *O. luteola*. 10km east of Citrusdale. 1 1/2 inch bright yellow flowers. Bracts. No scent, Thick 1 1/2 inch leaves, red underside, hairy edges and purplish stems. Low, compact growing plants. If planted deep bulblets form on stem above the old bulbs. + +
- 5966 *O. luteola*. 12km east of Citrusdale. 1 inch medium yellow flowers. 1 1/2 inch light green, 3-lobed leaves, central lobe 2x larger. Dense, green plants, Flowers barely above leaves. Bulbs 1 1/8 inch by 3/4 inch, tapering quickly to point at both ends; hard brown tunics. + +
- 6018 *O. sp.* Southern entrance to Hellsport, northwest of Grahmstown.
- 6024 *O. sp.* 32km east of Steynsberg. Summer rainfall area. Lavender flowers, 3/4 inch diameter. Deeply lobed leaves. Compact plants. Plant early. Light brown bulbs with papery tunics - very much like 2727 Jeffrey's Bay.) Check plants against description: do not distribute.

- 6027 *O. sp.* 15km up Molteno Pass, growing with *Pelargonium abrotanifolium* among rocks. 1/2 inch deep rose flowers with yellow center, 3/4 inch dark green leaves.
- 6032 *O. sp.* 22km north of Beaufort-West on east facing rocky slope in light brown soil.
- 6038 *O. luteola*. 1.8km up Ladismith road from sign south of Laingsburg. 1 1/2 inch medium yellow flowers with darker lines into center; fairly shallow expanded tube. Linear bracts slightly alternate 1/2 inch up from base of petiole, Petiole 2 1/2 inches tall, hairy, sepals light red, hairy. Leaves to 2 1/4 inches in diameter with central lobe 2-3 times size of side lobes, hairy edges and dark red underside. Leaf stems light red, 2 1/2 inches long. Very small plants and bulbs, growing in light brown, coarse soil. CAUTION—many small bulbs formed.
- 6046 *O. sp.* 39km up turnoff on Ladismith road, west facing gravel and shale slope in full sun. Winged bulbs. 1 inch white flowers.
- 6050 *O. sp.* 14.5km into Seweweekspoort from south entrance, 1 inch lavender-pink flowers on tall floppy stems, 1 1/2 inch notched, lobed leaves,
- 6051 *O. caprina*. 14.5km into Seweweekspoort from south entrance. Non-winged, very round bulbs. 3/4 inch lavender-pink flowers on 8 inch stems high above leaves on branched stalks with 3-4 flowers per stalk. No scent. 1 inch leaves, notched at tips. +
- 6052 *O. sp.* 20km into Seweweekspoort from south entrance. White flowers .9 inches in diameter. CAUTION, many small stem bulblets. Bulbs winged.
- 6052A *O. sp.* Diminutive *O. luteola*? 20km into the Seweweekspoort from south entrance. 3/4 inch bright yellow flowers, Tiny leaves. Plants in 2 inch diameter rosettes. Bulbs smooth, round, 3/4 inch in diameter, + + +
- 6064 *O. purpurea*, 8km east of Rawsonville, among clumps of *Pel. triste*. 2 inch pure white flowers with small light yellow throat. Leaves 1 inch wide, thick, succulent, red underside. + + +
- 6076 *O. luteola*, 11 km north of Clanwilliam, growing at base of *Pelargonium echinatum*, 1 1/2 inch pale yellow flowers with darker lines into the center and a shallow tube. Linear alternate bracts just below the center of the 1 inch petiole. Red edged sepals, Leaves to 1 3/4 inch, dark green center lobes 2-3 times the side two, with red stems and red underside. Compact growth. Bulbs 1 1/2 inch by 5/8 inch, narrow at bottom, pointed at tip; tunics brownish-black with numerous papery tough scales. +
- 6078 *O. sp.* North end of Pakhuis Pass in silty sand in depressions in huge flat rocks.
- 6109 *O. sp.* 2km south of Brandkaros in light brown sand.
- 6135 *O. sp.* 40.1 km east of Springbok on a south facing slope in red soil under quartz gravel. 1 1/4 inch clear yellow flowers. Bracts 1/2 inch below flowers. 3/-1 inch leaves. Grows deep. Flowers have a very sweet scent. I get one offset every 10 years or more! +
- 6135A *O. sp.* 40.1 km east of Springbok on a south slope in red soil under quartz gravel. 3/4 inch white flowers. Leaves less than 1/2 inch in diameter. Small bulbs, Grows very late, possibly evergreen with all-year watering.
- 6142 *O. sp.* 57.6km north of Loeriesfontein, White flowers with red speckled reverse. Tiny leaves less than 1/4 inch in diameter, notched at tips. Low, dense rosettes. Plant early. Plant deep, bulbs form on stems above old bulbs.
- 6158 *O. sp.* Eastern Cape, but exact location lost, 1/2 inch white flowers. Prolific bloomer. Sprouts early. Very hairy 1 inch leaves. +
- 6177 *O. sp.* 32km east of Steynsberg in dark brown soil on west side of a hillock. Growing with *Pelargonium dichondrifolium*, Dark lavender-pink 3/4 inch flowers, Not a prolific bloomer, Plant early. Possibly same species as 6024? This is the last species to go dormant in June.
- 6204 *O. obtusa*. 10.5km into the Seweweekspoort from south entrance, growing in full sun. Wonderful 1 1/2 - 2 inch glowing copper flowers with darker veining and yellow center. Reddish veining on petal underside with one edge yellowish. 3 inch peduncles. Sepals light green-yellow, green at base. Slightly alternate linear bracts 1/2 inch below flowers. Leaves 3/4 inch in diameter, lobes equal, notched at tips, lightly glaucous, edges slightly folded upward. Stems 1 - 1 1/4 inches tall. Flowers lighter veined than 5005 and plants more compact, leaves smaller. Granger flowers than 7085, + + +
- 6210 *O. sp.* Mountain north of Worcester where we saw *Aloe haemanthifolia*, Very small, smooth bulbs.
- 6221 *O. sp.* 18km south of Citrusdale.
- 6235 *O. obtusa*. 32.4km up Bo-Visrivier from turnoff south of Sutherland. Flowers 1 1/2 inches in diameter, glowing copper with darker veining and a greenish yellow center, Much reddish veining on petal undersides. Peduncle 3 - 3 1/2 inches tall, Yellow-green sepals, darker at base. Tiny, slightly alternate linear bracts 1/4 inch below flowers. Leaves about 1/2 inch in diameter or less, hairy, leaflets equal in size,

- notched at tips, folded together at edges, on 1-2 inch stems. Extremely dense plants. Bulbs sharply pointed top and bottom. + +
- 6303 *O. sp.* Received with bulbs of *Crinum campanulatum*. 3/4 inch fragrant, simple white flowers with a very sweet scent. 1/2 inch leaves. Bulbs dried up in dormancy. + +
- 6316 *O. obtusa*, 70.9km east of Nieuwoudtville. Flowers 1 inch in diameter, medium yellow, center more golden. No veining or streaks on underside. 4-5 inch peduncle, Alternate linear bracts 1/2 inch below flowers. Sepals green at base, yellow at tips. Leaves 1 inch in diameter, leaflets equal in size, notched at tips, flat, on 3-4 inch stems, 2 tiny bulbs found in basal plates of *Lachenalia* bulbs. + +
- 6331 *O. sp.* Nieuwoudtville area. Growing on the basal plate of an *Albuca* sp. Tiny bulbs. Flowers light yellow, 1 inch in diameter, with glowing yellow center. No darker veining. Some reddish veining on petal reverse. Peduncle 3-3 1/2 inches tall. Tiny alternate linear bracts 3/4 inch below flowers. Leaves about 1/2 inch in diameter, leaflets equal in size, glaucous green, hairy at bottom and edges, folded upwards at edges; stems 1 - 1 1/2 inches tall.. Same species as 5805 but paler flowers,
- 6338 *O. sp.* Nieuwoudtville area. Growing in the roots of an *Ornithogalum* sp.
- 6341 *O. obtusa*. Nieuwoudtville area, Bulbs were among bulbs of *Lachenalia elegans* var. *suoveolens*. 1 1/2 inch bright yellow flowers two inches above the leaves. Bracts one inch below the flowers, No scent. 3/4 inch leaves in tight, compact rosettes. + +
- 6382 *O. sp.* Gifftberg Mountains near Vanrhynsdorp. Were in roots of a Lavranos pelargonium collection.
- 6384 *O. sp.* Piketberg. Were in roots of a Lavranos pelargonium collection.
- 6395 *O. luteola?* Gifftberg Mountains near Vanrhynsdorp. Bulbs tan colored. One inch diameter bright yellow flowers with a wide tube, held above leaves. Very slightly alternate linear bracts below mid-peduncle, Leaves 1/2 to 3/4 inch diameter, bright green, central lobe slightly largest, on 1/2-1 inch stems, green underside. Very tight growth, + + +
- 6395B *O. luteola*. Gifftberg Mountains near Vanrhynsdorp, Bulbs darker, shorter and rounder than the tan-colored bulbs of 6395, 1 1/2 inch clear, shiny, light golden-yellow flowers. Tiny linear alternate bracts about 1/8 inch apart below center of 1 1/2 inch long stems, No scent. 3/4 inch light green leaves with central lobe 2-3 times the size of the other two lobes, There is a red dot where leaflets connect; some stems reddish Leaves green underside, almost flat on soil, Low, dense, compact rosettes. + +
- 6396 *O. polyphylla* var. *heptophylla*. Gifftberg Mountains near Vanrhynsdorp, 3/4 inch lavender-pink flowers. Thin, light pink, smooth tunics. Succulent, thread- like leaves with up to 8 leaflets, 1 1/4 inches long, 1/16 inch wide. + +
- 6400 *O. sp.* Piketberg, Bulbs different than 6384,
- 6405 *O. sp.* Heidelberg, Bulbs were among *Cyrtanthus* sp, growing in brown, humusy soil. 1/3 inch pale lavender-pink flowers high above leaves. Leaves less than 1/2 inch in diameter.
- 6472 *O. sp.* Growing among roots of *Brachystelma Bruceae* collected on rocky outcrops just before the town (hamlet) of Kaapschoop, Eastern Transvaal. Red-orange, papery scales, soft bulbs.
- 6917 *O. sp.* 3km up turnoff to the Melville Dam near Oudtshoorn. Second sp. in with 4409. 3/4 inch light lavender flowers. 1/2 inch leaves. Small, compact plants, Needs full sunlight. Sprouts early, Same species as 4674 but it is even smaller. + + + Description of plants 3/01: Flowers 1 - 1 1/4 inch diameter, pale yellow to orange-pink, darker veining and light reddish ring, large , yellow center. Tiny alternate linear bracts; 2 inch peduncle. Leaves 1/4 inch diameter, leaflets equal in size, notched, held nearly flat, on 1/2 - 3/4 inch stems, Plants almost mat-like. Something wrong here! Do not distribute
- 7069 *O. clavifolia?* 15km northwest of Eksteenfontein, Richtersveld, .1 1/4 inch yellow flowers. Caulescent, stems to 4 inches tall. Gummy tunics. Leaves deep green, 3 equal parts, 3/4 inch in diameter, all leaflets notched. No scent, Stems hairy, + + One bulb remains.
- 7070 *O. sp.* Anenous Pass, west of Steinkopf. Three bulbs of same clone. Large papery, loose tunic. Pinkish flowers. DNS,
- 7071 *O. fragrans*. MB 599, From B.M. 4/94
- 7072 *O. zeekoevleyensis*, MB 1261, Robertson. From B. M. 4/94. 3/4 inch lavender flowers. One inch leaves that are hairy on top and bottom, Tight, compact leaf rosettes,
- 7073 *O. flava* MB 2234 (3017 BD) Hondeklipbaai, From Bill Morris 4/94.
- 7074 *O. luteola*. Mallieshoek Farm. In with 4961, 2 inch bright yellow flowers. Leaves with large central lobes, glabrous, green underside, Sweet Scented. + + +
- 7075 *O. sp.* Seems identical to 5630A. 3/4 inch lavender-pink flowers. Faint fragrance. No bracts. Tiny tufted leaves less than 1/4 inch in diameter, Plant early.
- 7076 *O. sp. Oxalis hirta*, From Frank Norwood many years ago from habitat collected bulbs.

- 7077 *O. sp.* *Oxalis imbricata?* Farm Vanrhynshoek, top of mountain in level area among big rocks in deep red heavy soil, 3/4 inch light lavender-pink flowers with yellow reverse. Very fragrant. Grows very late.
- 7078 *O. sp.* 10km north of Willowmore. This is the second species in 4569. Two bulbs remain.
- 7079 *O. sp.* Data lost, possibly same as 5090. 1 1/4 inch white flowers with a yellow reverse. Stems to 6 inches tall. Strange powdery scent to flowers. 3/4 inch leaves with red reverse. Dense, compact plants.
- 7080 *O. sp.* Data lost. One inch whitish flowers with pink tips. Hairy leaves in small rosettes. Bulbs large, 1 3/4 by 1 inch, tapered to point top and bottom, sharp at top; stringy tan-brown tunic splitting away; gummy at base. Three bulbs remain.
- 7081 *O. sp.* Data lost. 1 1/2 inch pink flowers with dark ring. 1 1/4 inch hairy leaves. +
- 7082 *O. sp.* Data lost, Coll. 1990. Excellent 1 1/2 inch light copper with yellow veining, reddish reverse. No scent. Two tiny bracts 1 1/2 inches below the flowers, + + +
- 7083 *O. obtusa*. Collected Aug 1990, #1 B. Flowers 1 - 1 1/4 inch in diameter, bright shiny yellow, with light veining, reddish reverse, no darker central ring, color fading as flowers age. So much veining underside of petals that they appear reddish-pink, Tiny alternate linear bracts 1/4 inch below flowers. Peduncles hairy, 3 inches tall. Leaves 3/4 - .9 inches in diameter, glaucous, lightly hairy, central leaflet somewhat larger, notched, fairly horizontal, on 1 1/2 inch stems. +
- 7084 *O. obtusa*, Data in error on original nO. 1 1/2 inch yellow flowers with salmon veins, 1/2 inch leaves, Similar to 5591,
- 7085 *O. obtusa*. Data lost. Collected 1990. 1 1/2 inch salmon flowers. (9 March 01 are reddish-copper with some darker veining and small yellow center.) Same color on petal reverse, Sepals yellow-green with darker base and reddish edge at tip. Large alternate bracts 1/4 inch below flowers. Peduncle 3 1/2 - 4 inches tall. Leaves more or less 3/4 inch in diameter, flat, leaflets equal in size, notched at tips, held horizontally on 2 inch stems. Low, spreading plants. Same as 6205 but pinker flowers. + + 75 bulbs available
- 7086 *O. obtusa* In with 5728. Flowers 1 inch diameter, copper, with darker veining and a large greenish-yellow center. Peduncle 2 inches tall, Sepals yellow-green, darker at base. Tiny barely alternate linear bracts. Leaves 1/2 inch in diameter, hairy all over, leaflets equal in size, tips notched, folded together at edges. Compact and very showy, Produces some tiny bulbs just below soil surface; large bulbs about 1 inch down. Bulbs wrinkled, about 1/4 inch in diameter in a layer 1-1 1/2 inches down. + + + +
- 7087 *O. obtusa*, Data lost. Two inch pink flowers with a large yellow eye. 3/4 inch dark green leaves. Same as 7080. + + +
- 7088 *O. obtusa*, Data lost. 1 1/2 inch pink flowers with darker veins and reddish reverse, 1/2- 3/4 inch leaves. Compact plant. Two tiny bracts one inch below flowers. + + +
- 7089 *O. luteola*. Probably a seedling, Burgundy blotched leaves. Only two bulbs remain
- 7090 *O. sp.* Collected Aug 3, 1990, #1 A. One inch glowing yellow flowers, Small leaves, narrow leaflets. Bracts 3/4" below flowers. + + + Bulbs missing—don't know what happened!
- 7091 *O. sp.* Probably with a Lavranos Pelargonium collection. One inch violet-pink flowers, Bracts. No scent, 3/4-1 inch leaves.
- 7092 *O. convexula*. C.C. Sandberg hills southeast of Worcester, Plants grow in shallow sandy pockets among rocks together with *Haworthia pubescens*. Pinkish flowers with bright lemon yellow centers. Succulent leaves in tiny rosettes, Grows very deep,
- 7111 *O. sp.* From Dylan Hannon from bulbs ex John Lavranos. Gummy bulbs, No flowers yet.
- 7154 *O. sp.* C.C. ±25km to the middle of Middelpoos on road to Calvinia on a rocky outcrop. Flowers 1 1/4 - 1 1/2 inch in diameter, copper, veined darker, much reddish veining on reverse. Sepals light green, yellowish at edges. Small linear bracts slightly alternate, 4 inch peduncles, Leaves about 1 inch diameter, glaucous, hirsute all over, leaflets equal in size, folded up, notched at tips. Bulbs to 1 3/4 inch by 1 inch, dark reddish-black, narrowing at bottom, pointed at tip. Five bulbs survive, +++
- 7155 *O. sp.* C.C. "Summit of the Dasserberg ±15km to the southeast of Darling. Deep cerise flowers. See 7156. DNS
- 7156 *O. sp.* C.C. This grows with 7155. Both common on top of the mountain summit of Dasserberg near Darling, *O. hirtum* type. All bulbs smashed, DNS
- 7157 *O. sp.* C.C. "From ±2km northwest of Napier. Common on sandy ground. 3-pronged leaves like the palm of the hand" Bulbs soft, papery tunic. All bulbs crushed in shipment,
- 7158 *O. sp.* C.C. "Behind the Olifantsdam Motel near Clanwilliam, up on the hill behind the motel rooms. Fine leaves (3-pronged). White flowers. Very small plants, tiny leaves," 1 1/4 inch white flowers with a small yellow center. No bracts, No scent, 1/2 inch diameter leaves, One bulb remains.

- 7159 *Oxalis* received as *O. phloxidiflora*. Data as for 7158. Supposed to be "Royal purple flowers, particularly beautiful." Dried plants were tiny, less than one inch tall and one inch in diameter, Description 12/00: leaves 3/4 inch in diameter, leaflets equal in size, hairy on top, 1 1/4 inch diameter bright yellow flowers. Bulbs from 1 inch deep to bottom of pot. All bulbs just under soil surface.*
- 7160 *O. luteola*. "Ceres Karoo at the *P. hystrix* site in the western foothills of the Toorberg. Deep yellow flowers," Flowers 1 inch in diameter, bright golden yellow, held 1/2 inch above the leaves. Leaves deep green with red edges and stems; undersides are light red. Central leaf lobe much larger than the other two. Plants grow about 1/2 inch tall, almost flat on soil. Very compact (in full sun). 9 bulbs available
- 7162 *O. fabaefolia*. D.H. 92359 without data. Two long narrow leaflets per leaf. No flowers yet. Large bulbs with soft tan-pink papery tunics,
- 7163 *O. sp.* DH 91399 Anenouspas ex Lavranos, Two flower colors: 1 is lavender-pink, the other brick-red. 3/4 inch flowers. Caulescent, 1/2 inch leaves whorled around short upright stems. No scent. No bracts. Tallest plants are red-flowered. + +
- 7163A *O. sp.* from the bulbs of 7163 above. Different bulbs, more regular, not as lumpy. No flowers yet, Flowers .9 inches in diameter, dark red. Caulescent. No scent. 2 bulbs remain. **
- 7164 *O. gracilis*, DH 91406, Anenouspas ex Lavranos. 1 1/2 inch orange flowers with green centers, leaves 1 1/2 inches long with narrow leaflets. Caulescent. Stems with whorls of leaves. Odd lumpy bulbs. Two bulbs remain.
- 7165 *O. gracilis*. DH 91410, Vanrhynsdorp, Zaudkraal, ex Lavranos, 1 1/4 inch brick-red flowers, Petals red above and below. 3/4 inch narrow leaflets around tall central stems, Bulbs 3/4 inch tall, almost round, covered with dry papery scales in many layers. Five bulbs remain.
- 7166 *O. hirta*. DH 91417, Vanrhynsdorp, Zaudkraal, ex Lavranos. Smallish 1/2 inch diameter lavender-pink flowers on 15" stems. Whorls of leaves around tall stems. No scent. Large bracts 1 1/2 inches below flowers. Three bulbs remain.
- 7167 *O. lobata*. D.H. without number or data. Chilean species. 3/4" golden yellow flowers in abundance about 1 inch above soil level, Leaves small and near the soil. Sprouts early,
- 7177 *O. sp.* C.C. 27. Kliprand, Bulbs 1 1/2 inches tall x 3/4 inch diameter, covered with long, dark brown, narrow tunic scales. One inch pink flowers. Caulescent. Narrow leaves. Sprouts early
- 7178 *O. sp.* C.C. "Witputz, Southern Namibia. Tiny green leaves, small yellow flowers." Small, deeply winged bulbs, sort of in chains one above the other. In reddish, gravelly soil. Possibly two species as two bulbs are short and round. 6/97—The fragrant flowers are actually 3/4 inch, off-white with red striped edges, Leaves glaucous, 1/4 inch in diameter, 6 bulbs remain,
- 7179 *O. gracilis?* C.C. "Sandkraal near Vanrhynsdorp" Bulbs 3/4 inch diameter and 3/4 inch tall, covered with narrow papery tunic scales. Bulbs large, short, pinkish and lumpy (1 inch tall, 1 1/4 inch wide). Caulescent, 8 inch diameter light orange flowers with yellow center. Three narrow leaflets, 1 1/4 inch diameter leaves. Same sp. as 7557 but smaller flowers. 5 bulbs remain.
- 7180 *O. sp.*, C.C.. "Northeast of Kamaggas, Very unusual. Grows in pools of water in mountain streams" Dried flowers bluish. Leaves thin on 3 inch stems. Bulbs almost black, 1/4 inch diameter, very wrinkled, like *O. obtusa* bulbs. DNS
- 7181 *O. comosa?* Northeast of Kamaggas, 1 1/4 to 1 3/4 inch diameter lavender-pink flowers with darker veining, a yellow center and a shallow tube, Sepals long, reddish-brown, Narrow linear reddish bracts 1/3 inch below flowers, Peduncles 4 inches tall, No scent. Leaves 1.2 inches in diameter, leaflets narrow, slightly notched at tip, lightly glaucous, on glabrous 2-2 1/2 inch petioles. Leaflets folded upwards. No scent. Appears to be same species at 5492 & 5494 but flowers are smaller, Wrinkled bulbs like *O. obtusa*. + + +
- 7182 *O. sp.*, C.C, Received as: "Variegated brown leaves. Witputz, Southern Namibia," Bulbs 1 inch in diameter, thickly covered with long thin tunic scales. Description in flower: One inch golden yellow flowers. No bracts. No scent. Leaves 1/2 inch, glaucous, folded leaflets with leaflets notched. Only three bulbs remain. + +
- 7183 *O. sp.* C.C, "Growing together with *Pelargonium triandrum* at turnoff to Algeria Forest Station (Just over the Olifants River)" Bulbs < 1/4 inch diameter, almost black, wrinkled, sharply pointed on both top and bottom. 6/97—One inch light yellow flowers, 2/01 flowers .8 inches in diameter, light yellow with darker centers on 2 1/2-3 inch peduncle. Small linear bracts slightly alternate 1/2 inch below flowers. Sepals light green with brownish splotches along upper edges. Petals have some red streaking on underside, No scent. 1/2 inch leaves with narrow leaflets, Tiny plants growing to 3 inches tall. Same species as 7334. Good bloomer. **

- 7184 *O. sp.* C.C. "Sandkraal near Vanrhynsdorp" Bulbs to one inch diameter, wider than tall, covered with many layers of brown tunic scales. No flowers yet. Only two bulbs remain.
- 7307 *O. purpurea*. C.C. Renosterveld, more or less 10km SE of Tulbagh. Probably a form of *O. purpurea*, 2 1/2 inch deep rose-pink flowers with small yellow center. 1 1/2 inch leaves, terminal leaflet larger, all edged with fairly long hairs. There is a red spot where the leaflets connect. Underside and stems green, Compact. Leaves almost flat on soil, Alternate bracts just above base of petiole. Compact plants. Large clump of bulbs, 1 1/2 inch by 3/4 inch; dark reddish-black, gummy, tapered to top and bottom. + + +
7318. *O. compressa*. B.M. ex K. Etheridge. Many one inch diameter bright yellow flowers per umbel held 4 inches above the leaves. 1 1/2 inch leaves with dark blotch in center of each leaflet. +
- 7319 *O. sp.* ex C, C. SE of Pambult, Transvaal. Summer growing species with 5/8 inch diameter white flowers with yellow throat, 3/4-1 inch green leaves. DNS
- 7320 *O. sp.* ex C.C. SW of Leliefontein. Deeply winged bulbs. No flowers yet, 5 bulbs remain.
- 7321 *O. pubescens* BM ex K Etheridge. No flowers yet. Three bulbs remain,
- 7322 *O. goniorrhiza* BM ex Ken Etheridge. Flowers .8 to 1 inch diameter, very pale pink with overlapping petals, light reddish edge and outer underside is red. Caulescent, Sepals yellow-green, red at edges. No bracts. 1/2 inch glaucous leaves with narrow leaflets loosely in whorls up the short stems. No bracts, No scent. Coarsely wrinkled bulbs, medium brown, actually multi-shallow ribbed, sharp on both ends, about 1/3 inch long. ++
- 7323 *O. adenodes*. BM ex C,C, Concordia. 1 1/2 inch bulbs. 1 1/4 inch white flowers. Bracts. One inch diameter leaves, wide leaflets, pointed tips, center leaflet below the side two, covered with short silvery hairs. + +
- 7324 *O. sp.* BM ex C,C, Garaap, "Tiny leaves, white flowers with red stripes", Description February 2001: One inch diameter bright deep yellow flowers with red streaked reverse. 2 1/4 - 2 1/4 inch peduncle. Sepals narrow, pale reddish, darker at base. No scent. Tiny linear opposite bracts 3/4 inch below flowers. Leaves more or less 1/2 inch diameter, equal in size, deeply notched, on 1 inch stems. Very compact plants. + Probably same species as 7180
- 7325 *O. sp.* BM ex C,C, 12km south of Garies.
- 7326 *O. purpurea*. BM ex C,C. 8km north of Komaggas on stony, sandy hillside, 2 inch long, 1/2 inch diameter bulbs, light tan in color. 1 1/2 inch pure white flowers, Bracts. No scent, 1 1/2 inch green leaves.
- 7327 *O. sp.* BM ex CC,, Kliprand, South Namaqualand. Tiny tufted plant. No flowers yet. Plant early, Same as my 7177 One bulb remains.
- 7328 *O. sp.* BM ex C.C. Mountains near Kommagas. Small thin bulb with papery tunic. DNS
- 7329 *O. sp.* BM ex Craib. Narapberg south of Kosie, Namaqualand. No flowers yet. One bulb remains.
- 7330 *O. sp.* BM ex Speedwell Nursery, Camb. U.K. Lesotho. "Reminiscent of *O. hirta*, but smaller. Prolific, but nice!" No flowers yet. Tiny bulbs.
- 7331 *O. sp.* B.M, ex C.C.. Famaugad Mountain, 1 1/4 inch white flowers. Bracts. One inch green leaves. Probably *O. purpurea*. + Only two bulbs remain.
- 7332 *O. sp.* B.M. ex C.C. Sandkraal, Southern Namaqualand. "Long Pine-tree like stems. Mauve flowers," Large bulb with thin pinkish-brown papery tunic, No flowers yet. Only one bulb remains.
- 7333 *O. sp.* B.M. ex C.C.. Sandkraal, southern Namaqualand. "Fine compound leaves", No flowers yet. Only one bulb remains.
- 7334 *O. sp.* B.M. ex C.C. Algeria turnoff from Citrusdal road on rocky outcrop adjacent to Olifants River, Small wrinkled bulbs pointed at both ends. Flowers .8 to inch in diameter, light yellow with some darker veining; short narrow tube, some reddish streaking on 1/2 of petal reverse. Tiny opposite linear bracts 1/3 inch below flowers. No scent, Peduncle 3 inches tall, Leaves lightly glaucous, 1/2 inch in diameter; leaflets slightly notched at tips, narrow, folded upward. 1 to 1 1/4 inch leaf stems. ++
- 7335 *O. sp.* B.M, ex C.C. Anenouspas, Steinkopf.
- 7336 *O. helicoides?* Oxalis sp. B.M. ex C.C. Mountains near Komaggas. "Thin stems, leaf clusters". Light brown bulbs, wider than tall. 1 1/2 inch black-red flowers with sharply reflexed petals. 2 inch leaves with 3 narrow leaflets. Caulescent. + + + Only one bulb remains.
- 7337 *O. sp.* B.M. ex C,C. Upper part of east facing hill, Augrabies Mountains, 1 1/4 inch light lavender flowers held one inch above the leaves. Leaves in flat rosette, dense tight growth. +
- 7338 *O. sp.* B,M. ex C,C, 1 Okm north of Steinkopf, Bulb very flat, possibly dead—turned out to be only a tunic and no bulb at all!
- 7339-S *O. gemminota*. BM. from Chile. "Looks like a miniature *O. valdiviensis*, tufted clumps. Masses of mauve flowers. Very pretty!" 22 seeds. None germinated.

- 7347 *O. decaphylla* (*O. greyi*), Greer, Arizona, White Mountains, Palmate leaves, 6-10 leaflets, Pink flowers. Organic soil, Small bulbs. DNS
- 7348 *O. sp.*, 5 miles N of Sedona, Arizona. Dull green leaves; 3-4 leaflets on mature plants, with leaf markings. Lavender flowers with notched petals, Grew in relatively sandy soil, DNS
- 7349 *O. violacea*. 5miles north of Sedona, Arizona. Bright green leaves-3 violet flower. Grew in organic soil. DNS
- 7358 *O. pes-caprae* 'Flore Pleno'. Originally from Logees Greenhouses long ago. One inch double yellow flowers, Bulbs grow very deep so best in a deep container.
- 7411 *O. dregei*. UC100544. C. Gorenstein ex W. Hartung. 3/4 inch white flowers with bluish cast and darker veining, yellow center. Leaves have only one notched leaflet facing upward, 1 inch tall. Tiny bulbs. +
- 7412 *O. sp.* UC1002135, 1 1/4 inch white flowers flushed pink. Caulescent. Small leaves less than 1/2 inch diameter, with deeply notched leaflets. Long narrow bulbs, thin tunics, Leaves with 3 leaflets, very narrow, divided, almost to base, hairy, standing upright. Bulbs large, 2 1/4 inch by 3/4 inch, tapered sharply to top, 1/4 inch diameter flat bottom; nearly black, stringy papery stiff scales. +
- 7413 *O. sp.* UCI002141. Light brown, roundish bulbs. No flowers yet.
- 7414 *O. sp.*, UCI002154 Jeffrey's Bay, Light brown round, bulbs, papery tunics. DNS
- 7415 *O. obtusa*. UC1002219 ex, C. Gorenstein. Black smooth, sharply pointed 1/2 inch tall bulbs. 1 1/2 inch coppery-pink flowers with darker ring, veining and yellow center. Opposite bracts 1/2 inch below flowers, Petal reverse completely streaked red. Flower stems 4 inch tall, well above the leaves. Leaves hairy, 1/2 inch diameter, folded upwards, slightly smaller flowers than 74158.
- 7415B *O. sp.* 1 1/2 inch copper flowers, veined darker, with greenish yellow center. Hairy edged 3/4 inch leaves with leaflets folded up.
- 7416 *O. obtusa*. UC1002263, Barrydale Pass, Flowers glowing rose-pink, 1 3/4 inch in diameter with yellow center and darker veining, petal reverse same color. Sepals green at base, yellowish-green with red edge at tips. Peduncle 3 1/2 inches tall. Bracts linear, opposite or nearly so, 1/2 inch below flowers. Leaves 3/4 inch in diameter, very hairy all over—they look fuzzy—leaflets equal in size, notched at tip, folded almost double; 1 1/2 inch stems. Black bulbs, lightly wrinkled, 3/4 inch long, sharply pointed at both ends. + + +
- 7417 *O. purpurea*, UCI002371, Oudenpost Reserve. 1 1/2 inch soft salmon/apricot flowers with yellow center, Small linear bracts 1/2 inch up from petiole base, Sepals with reddish edges, 1 1/4 inch diameter thick green leaves, nearly succulent. Leaflets nearly equal, hairy at edges, Bulbs 3/4 inch diameter, dark black-brown, slightly gummy. Plants grow to 1 1/2 inches tall in full sun. + + +
- 7418 *O. sp.* UC1004163. One inch pale lavender-pink flowers. Two tiny bracts one inch below flowers, One inch diameter, light tan bulbs with thin papery tunics. Possibly *O. hirta*. 16 bulbs available
- 7419 *O. sp.* UCI004179, Flowers more than 1/3 inch in diameter, white tinged pink. Caulescent. Plants grow one inch tall. 1/2 inch diameter black bulbs, pointed on top. Two bulbs remain.
- 7420 *O. sp.* UCI004955. Light brown bulbs, narrower than tall. Two-part leaves with leaflets 2 1/2-3 inches long, narrow. Three bulbs remain.
- 7421 *O. sp.* UCI006922. Brown bulbs very similar to *O. pes-caprae*!
- 7422 *O. obtusa*. UC101 0207, Silver Strand. Salmon-coral flowers, darker center ring, small yellow center. Bracts. 3/4 inch hairy leaves, lobes indented. Bulbs 1/3 inch in diameter, sharply pointed at both ends, wrinkled, brown. +
- 7423 *O. corymbosa* 'Aureo-reticulata'. Ex UCI without data. Has never grown well.
- 7424 *O. versicolor*, UCI ex Hartuang. 1.1 inch diameter flowers, pure with light red edges. 3/4 inch leaflets. Caulescent. 4 inches tall. Blackish, clumping, gummy bulbs.
7425. *O. sp.* ex UCI without accession number. 1 1/4 inch light yellow flowers with shallow small dark yellow funnel tube. Petal reverse streaked red on one side. Sepals light green. Tiny linear bracts, almost opposite, 1/2 inch below the flowers. No scent. Peduncle 4 1/4 inch tall, slightly hairy. Same sp, as 54058. Leaves less than 1/2 inch in diameter, Needs full sun, 1/3 inch diameter dark brown bulbs pointed at both ends.
- 7426 *O. pes-caprae*. ex UCI without accession number (as *O. glabra*). Flowers 1.2 inch diameter, bright yellow, five per umbel. No bracts. No scent. stems. Leaves 1 1/4" diameter, reflexed, leaflets notched. 1/2" brown bulbs. + (ID per D.C. 11 /00)
- 7427 *O. pes-caprae* 'Flore Pleno', ex UCI without accession data.
- 7428 *O. sp.* ex UCI without accession data. Bulbs 1 1/2 inches long, light brown, narrow, with thin tunics. No flowers yet. New bulbs at bottom of pot,
- 7429 *O. semiloba*, Baird, I Nov97. Similar to *O. bowiei* but smaller leaves. Collected in the Eastern Cape.

- 7430 *O. sp.* Baird, 1 Nov97, Collected near Clanwilliam. White flowers. Grows tall, needs deep pot. Long narrow light black bulbs. Looks very much like *O. anomala* 7437.
- 7431 *O. sp.* Baird, 1 Nov97. "Dwarf. Amazing deep orange-yellow 3/4 inch flowers. Went dormant 8-4-97. Coll. data not supplied". Very small bulbs Actual description: 1 1/4 inch light brick-red with large central yellow eye. Tiny compact plants. Leaves 1/14 inch in diameter, Caution - many crown bulblets, + + + Plants died winter of '99.
- 7432 *O. sp.* Baird, 1 Nov97, "Collected Patensie, Eastern Cape, Didn't flower my 1st year. Leaves are interesting." Light brown bulbs. No flowers so far.
- 7433 *O. sp.* Baird, 1 Nov97, "From Ernie de Marie, NYBG. Tiny 3-leaf, white flower. Coll. data unknown." 1 1/2 inch white flowers suffused with light pink, darker at petal edges, Caulescent, Papery tan colored tunics. Leaves 1 1/2 inch diameter; leaflets 3-4cm wide, glaucous. + +
- 7434 *O. stenorrhyncha*. Baird, 1 Nov97. "Orig. NYBG. Brick-red flowers. Prolific. Showpiece," Bulbs in growth have a huge fleshy taproot, Bulbs with a long pointed extension at top. 10 small bulbs available. (ID per DC 11 /00) Need description.
- 7535 *O. sp.* Baird, 1 Nov97, "Coll. Sandkraal." Purple-red one inch flowers with reflexed petals. Medium brown bulbs with hard tunic, Caulescent with many whorled leaves. No scent, Two bulbs remain. + +
- 7436 *O. sp.* Baird, 1 Nov97. "Coll Costa Rica. Green triangular leaf, purple spots. Pink flowers Prolific propagator." Bulbs very much like *O. brasiliensis*, DNS
- 7437 *O. anomala*. E. deMarie, 7Nov97, MBB1736, NYBG2814/94A. 3/4 inch white flowers with small yellow center. Bracts, No scent. Robust. One inch leaves, center lobe 5x the other two. +
- 7438 *O. luteola*. E. deMarie, 7Nov97. MBB2249, NYBG2815/94 (possibly 2813/94) Bulbs almost black, short and roundish. Many 3/4 inch bright yellow flowers with a wide, shallow tube. Sepals small, hairy, stippled with brown mainly in center, Tiny opposite bracts midway on peduncle. 3/4 to 1 inch leaves, almost round, medium green, red underside, central lobe notched and larger than other lobes. One inch stems, No scent. +
- 7439 *O. flava*. E. deMarie, 7Nov97. MBB863, NYBG133/94A. No flowers yet.
- 7440 *O. flava*. E. deMarie, 7Nov97. MBB2203, NYBG754/93A. "Yellow Flowers". 2 1/4 inch bright yellow flowers. Bracts. 6-8 leaflets per leaf, + +
- 7441 *O. monophylla*, E. deMarie, 7Nov97. NYBG4757/95B. 1 1/4 inch white flowers. One inch leaves with only one leaflet. Tight compact growth.
- 7442 *O. purpurea*. E. deMarie, 7Nov97. MBB863 (MBB number same as my 7439 above -something wrong!) 1 1/2 inch deep rose flowers with a yellow tubular base. Alternate bracts 1/2 inch up from stem base. 1 inch dark green leaves with hairs at edge. Very compact plants.
- 7443 *O. sp.* Seegaat. E. deMarie, 7Nov97, NYBG2827/94A, One inch pale pink flowers, nearly white. 1 1/2 inch leaves with narrow leaflets. Smaller version of 7548.
- 7444 *O. stenorrhyncha*. MBB423O. E. deMarie, 7Nov97, "Melon-red flowers" 3/4" inch melon-red flowers, 4-5 flowers per stem. No bracts. No scent. One inch diameter deeply notched leaves. (ID per D.C. 11 /00)
- 7445 *O. pulchello* var. *tomentosa*. received as *O. obtuse*, it is not. E. deMarie, 7Nov97. MBB22196, Rooiberg. NYBG2306/94A. (could not read Ernie's writing) 2 1/2 inch light apricot flowers suffusing to yellow center. One inch green leaves. Bulbs 1 1/4 inch to 1 1/2 inch tall by 3/4 inch wide, tapered top and bottom, tunic scales dark brown, thin, bulbs gummy inside outer tunic, + + + +
- 7515 *O. flava*, Baird, 8Aug98. "10 leaflets, grey-green. yellow flowers. Collected: Namaqualand." No flowers yet. Sprouts early.
- 7516 *O. flava* var. *flabeffoli* *O.* Baird, 8Aug98, No flowers yet. Only five bulbs remain.
- 7517 *O. flava* var. *pectinaria*. Baird, 8Aug98. No flowers yet.
- 7518 *O. bifurcate*. Baird, 8Aug98. "Pink flowers" No flowers yet.
- 7519 *O. palmifrons*. Baird, 8Aug98. "Many tiny leaves." No flowers yet. Building stock up.
- 7520 *O. ambigua*, Recieved as *O. purpurea*. Baird, 8Aug98. "Large leaf, white flower," 1 1/2 -2 inch clear white flowers with small yellow center with darker lines. Linear slightly alternate bracts 1/2 inch up from base of stem, Flowers well above the leaves. Leaflets nearly equal in size, hairs at leaf edges. Immature leaves pointed, with central lobe oriented under the other two. Green underside.+ +
- 7521 *O. tomentosa*. Baird, 8Aug98. "20+ leaves. Recently went dormant." No flowers yet, Planted five bulbs—got five bulbs!
- 7547 *O. purpurea*, mixed forms, Baird, Sep98 ex Van Bbourgendien Bros. Nursery, Discarded,
- 7548 *O. sp.* Baird, Sep98. "Unusual species from E. deMarie. Elongated leaf, white flowers." 2 inch diameter pale pink flowers with no scent, No bracts. Must plant early. + +

- 7549 *O. bifurcata*, Baird, Sep98. no data. No flowers yet. Bulbs develop at bottom & sides of pot; large fleshy taproot.
- 7550 *O. semiloba*. Baird, Sep98, Collected Grahamstown. No flowers yet.
- 7551 *O. melanosticta* Baird, Sep98, ex NYBG. "A long time propagation at NYBG." No flowers yet. 1 1/4 inch yellow flowers at level of leaves. 3/4 inch leaves covered with silvery hairs on, top. Only five bulbs remain. **
- 7552 *O. compressa*, Baird, Sep98. no data. No flowers yet.
- 7553 *O. adenodes*. Baird, Sep98. "Collected near Concordia by C.C." No flowers yet.
- 7554 *O. stipularis*. Baird, Sep98. no data. No flowers yet.
- 7555 *O. sp.* Baird, Sep98. "Named *O. zeekoevelyensis* but I doubt it." No flowers yet. Get positive id before distributing any bulbs. Tiny bulbs produced above bulbs and just under soil surface--very unlike *O. zeekoevelyensis*.
- 7556 *O. sp.* Baird, Sep98. "Collected at Gariaap by C.C." Description 2/01: Flowers 3/4 inch in diameter, tan-yellow in color, red streaking on reverse. Opposite linear bracts 1/2 inch below flowers. Leaves about 1/2 inch in diameter, leaflets equal in size, flat, notched at tips. Not *O. obtusa*, Very small bulbs, less than 1/4 inch in diameter,
- 7557 *O. gracilis?*, Hannon 91406? D. H, inches Lavranos, Namaqualand, Anenouspas. (Apricot flowers)" Flowers 1 1/2 inches diameter, light orange on 8 inch tall stems. Caulescent. Thread-like 3-part leaves. No bracts. No scent. Only five bulbs remain. + +
- 7564 *O. perdicara*, Baird, Aug98. "Like *O. lobata* except with light yellow flowers." Flowers .8 inch diameter, light yellow, 3 inches above the leaves. Leaves less than 1/2 inch in diameter, odd three deeply lobed leaflets, *capitate*, appearing to have 6 leaflets. Tiny plants. Bracts. No scent. Only six bulbs remain. +
- 7601 *O. sp. c.c.* 17May2000. "Open short grassland, the bulbs growing in dry based soil immediately west of Wolmaranstad, NW Province, Numerous bulbs had sprung up in response to unseasonal heavy early winter rain." No description yet. Only five bulbs remain.
- 7630 *O. imbricata*, From Dr. Baird ex Monocot Nursery. Aug 96, No flowers yet.
- 7631 *O. obtusa*, From Kristin Yanker-Hansen without data. Only five bulbs remain.
- 7632 *O. sp.* With red leaves. From Kristin Yanker-Hansen without data. Only five bulbs remain.
- 7633 *O. ecklonii* var. *sonderi*. Attrill OX-004 ex Pastel Plants 1998. Flowers 1 inch diameter, lavender-pink with yellow center and a rather wide shallow tube. Green hairy sepals. Alternate linear bracts just below center of peduncle. 1/4 to 1 1/2 inch leaves, red hairs at edges, green underside, central lobe slightly larger, stems red, Smaller flowers than 7634. No increase winter of 2000-2001. **
- 7634 *O. ecklonii* var. *sonderi*. Attrill OX-005 ex G. Reid 1998, 1 1/4 inch lavender-pink flowers, yellow central tube, wide petals. 1 1/4 inch diameter green leaves with red stems, hairs at edges, No scent. Linear alternate bracts 1 1/2 inch below flowers. No increase winter of 200-2001. *
- 7635 *O. namaquana*. Attrill OX-027 ex G, Reid 1998. Thin tunics, light brown, ca. 1 1/4 inch in diameter. Two bulbs remain.
- 7636 *O. sp.* Attrill OX-052. BM01 8, Vyflein, Mylaserberg ex CC. Two bulbs remain,
- 7637 *O. sp.* Attrill OX-054, sp. sect. *Crassulae* ex Pastel Plants 1998, Nieuwoudtville, RSA coll. Viviers. Thin light brown tunic, 1/3 inch in diameter. Three bulbs remain.
- 7638 *O. livida*. Attrill OX-083 ex Pastel Plants 1998, Bulbs with grooved tunics. Bulbs 26mm tall, 5mm wide, pear-shaped, light reddish-brown with grooves top to bottom, Four bulbs remain,
- 7639 *O. purpurea*. Attrill OX-139. Soft cherry red, ex Ruffy Cem. Flowered 1/2001, 1 1/2 inch deep rose-pink flowers with large yellow center. ! 1/2 inch green leaves with hairy edges and reddish stems, flat on soil. Five bulbs remain, **
- 7640 *O. purpurea*. Attrill OX 40. Cherry red, ex Ruffy Cem, Seven bulbs remain.
- 7641 *O. purpurea*, Attrill OX-142. Silvery-pink ex Bowman's Forest Cem. Flowered 1/2001. 1 inch white flowers with pale purple-pink flecking, fading to white the second day. Leaves .9 inch diameter, dark green with reddish edges. Three bulbs remain.
- 7642 *O. purpurea*. Attrill OX-147, Deep pink ex Telos 99, OXA-674-OC. 2 inch diameter pink flowers with yellow centers. 1 1/2 inch leaves, green with green stems. Leaves almost flat on ground. Seven bulbs remain. **
- 7643 *O. sp.* BM-002. Attrill OX-177 Goegap Reserve near Springbok ex CC. Five bulbs remain.
- 7644 *O. sp.* BM-009. Attrill OX-179, Steinkopf, CC. Five bulbs remain,
- 7645 *O. sp.* BM-018. Attrill OX-183. Vyflein, Mylaserbert ex CC, Long bulbs with long pointed top, Five bulbs remain.
- 7646 *O. sp.* BM-023, Attrill OX-184 Steinkopf ex CC. Six bulbs remain.

- 7647 *O. sp.* BM-035, Attrill OX-1896 5km west of Rooiberg, Ticht. CC. small bulbs with extended pointed upper bulbs. Four bulbs remain.
- 7648 *O. sp.* BM-055. Attrill OX-192 Flowers 1 inch in diameter, light yellow with a golden ring in center, some darker veining in petals. Linear bracts, some alternate, some opposite, 1/8 inch below flowers, 1 1/4 inch peduncle. Leaves 1 inch in diameter, leaflets similar in size, rhomboidal with square sides, edges nearly touching; on 1 inch stems Plants dense and tight. No data ex CC. dark bulbs pointed on both ends. Six bulbs remain. +
- 7649 *O. greyii* BM231 ex B. Baird, Attrill OX-254. Flowered 1/2001. It is not *O. greyii*, but is *O. luteola*, 1 1/2 inch light yellow flowers, darker in throat. Bracts. 1 inch leaves, glaucous, reddish edge, short hairs at leaf edges, burgundy underside, No scent,
- 7650 *O. smithiana*. Attrill OX-274. BM231 a ex Baird BB4-15. Thin light brown tunics, bulbs more or less 1/4 inch in diameter.
- 7674 *O. comosa* JNT 97-106. Ca. 10km WSW of Steinkopf on a quartz ridge. "Light magenta flowers with a distinct yellow throat"
- 7675 *O. comosa* JNT 97-265-1. 2km east of Naries (East of Springbok) growing with *Orbea namaquensis* in a winter wet level area. "3cm diameter magenta flowers with a yellow center."
- 7676 *O. comosa* JNT 97-265-2. Data same as 7675. "Pale clone. 2-3cm diameter mauvey-pink flowers with yellow center."
- 7677 *O. fabaeifolia* JNT 97-3. 12km NE of Vanrhynsdorp along R27. "Light pink flowers with a darker pink center,"
- 7678 *O. luteola?* JNT 97-34. Hills west of Omega Farm near Springbok in partly decomposed granite. "Rosulate, yellow flowers." Long sticky clumping bulbs.
- 7679 *O. luteola?* JNT 97-34, possible second clone. Data as for 7678.
- 7680 *O. obtusa* JNT 97-60, About 9km south of Kamaggas in a fairly wet overgrazed area with *Drosanthemum* prevalent, on a quartz hill, "Apricot flowers with yellow throat with red."
- 7681 *O. obtusa* JNT 97-259. Nigramoep (a mine south of Springbok) on rolling hills with patches of vegetation, "Yellow with a bright red zone," Bulbs smooth, not like typical *O. obtusa* bulbs
- 7682 *O. palmifrons* JNT 97-5, Papkuilsfontein, ca 20km north of Vanrhynsrp at the top of the escarpment in a wet area,
- 7683 *O. palmifrons* JNT 907-12A. Melkraal, top of plateau down the road from Papkuilsfontein o wet areas, growing with a *Drosera* species.
- 7684 *O. palmifrons* JNT 97-12b. Data as for 7683. Another clone from that collection site,
- 7685 *O. sp.* JNT 97-203. Klipbokberg -16 Berg, Caulescent.
- 7686 *O. sp.* JNT 97-212, Klipbokberge, Richtersveld, in quartz. *O. luteolum?* Long narrow bulbs. Succulent red petioles and undersides.
- 7687 *O. sp.* JNT-212, Possible second clone of 7686. Data as for 7686.
- 7688 *O. sp.* CLAMP-1 bag. USDA evidence. "2cm yellow flowers. Mahogany scales. Probably *O. obtusa*. Habitat collected without data,
- 7689 *O. sp.* CLAMP-1 bag, USDA evidence. "Mahogany scales, slender leaflets, No flowers yet." Habitat collected without data.
- 7690 *O. sp.* CLAMP-1 bag, USDA evidence. "White flowers, broad ovoid leaflets, mahogany scales." Habitat collected without data.
- 7691 *O. livida*. Diana Chapman, 18 October 01, without data.
- 7692 *O. semiloba* (?) Diana Chapman. 18 October 01, From Cape Flora Nursery, Eastern Cape,
- 7693 *O. tenuifolia*. Diana Chapman ex Robin Attrill. 18 October 01, without data.